Revision Date 07/05/2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

- Trade name

RHODASURF TDA 8.5

1.2 Relevant identified uses of the substance or mixture and uses advised against

Uses of the Substance / Mixture

Surfactants for various applications

1.3 Details of the supplier of the safety data sheet

Company

Solvay USA Inc., NOVECARE 504 Carnegie Center Princeton, NJ, 08540, US Telephone Number: 800-973-7873

1.4 Emergency telephone

FOR EMERGENCIES INVOLVING A SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT CONTACT: CHEMTREC 800-424-9300 within the United States and Canada, or 703-527-3887 for international collect calls.

SECTION 2: Hazards identification

Although OSHA has not adopted the environmental portion of the GHS regulations, this document may include information on environmental effects.

2.1 Classification of the substance or mixture

HCS 2012 (29 CFR 1910.1200)

Acute toxicity, Category 4 Serious eye damage, Category 1 H302: Harmful if swallowed.

H318: Causes serious eye damage.

2.2 Label elements

HCS 2012 (29 CFR 1910.1200)

Pictogram





Signal Word

- Danger

Hazard Statements

- H302 - H318 Harmful if swallowed.

Causes serious eye damage.

Precautionary Statements

Prevention

- P264

Wash skin thoroughly after handling.

- P270 - P280 Do not eat, drink or smoke when using this product.

0 Wear eye protection/ face protection.

Response

PRCO90055644

Version: 1.02 / US (Z8)



RHODASURF TDA 8.5

Revision Date 07/05/2016

- P301 + P312

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

- P305 + P351 + P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

- P310

Immediately call a POISON CENTER/doctor.

- P330

Rinse mouth.

2.3 Other hazards which do not result in classification

- H401: Toxic to aquatic life.

SECTION 3: Composition/information on ingredients

3.1 Substance

- Chemical nature

Alcohols, C11-14-iso-, C13-rich, ethoxylated

Hazardous Ingredients and Impurities

| Chemical name | Identification number CAS-No. | Concentration [%] |
|---------------------------------|-------------------------------|-------------------|
| Ethoxylated Tridecanol | 78330-21-9 | >= 95 - < 99 |
| Alcohols, C11-14-iso-, C13-rich | 68526-86-3 | >= 1 - < 5 |

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

Non Hazardous Ingredients and Impurities

| Chemical name | Identification number CAS-No. | Concentration [%] |
|---------------|----------------------------------|-------------------|
| Water | 7732-18-5 | 0.1- 1 |

3.2 Mixture

Not applicable, this product is a substance.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

- Show this material safety data sheet to the doctor in attendance.
- First responder needs to protect himself.
- Place affected apparel in a sealed bag for subsequent decontamination.

In case of inhalation

- Negligible or unlikely exposure pathways
- Move to fresh air in case of accidental inhalation of vapors.
- Consult a physician if necessary.

In case of skin contact

 In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.

PRCO90055644

Version: 1.02 / US (Z8)



Revision Date 07/05/2016

- Seek medical advice.
- Wash contaminated clothing before reuse.

In case of eye contact

- Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
- Seek medical advice.

In case of ingestion

- Do not induce vomiting without medical advice.
- If victim is conscious:
- Rinse mouth with water.
- Keep at rest.
- Do not give anything to drink.
- Do not leave the victim unattended.
- Vomiting may occur spontaneously
- Risk of product entering the lungs on vomiting after ingestion.
- Lay victim on side.
- Seek medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Effects

- Skin contact may aggravate existing skin disease
- Inhalation of product may aggravate existing chronic respiratory problems such as asthma, emphysema or bronchitis

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician

- Treat symptomatically.
- There is no specific antidote available.
- All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

SECTION 5: Firefighting measures

Flash point

> 200 °F (> 93 °C)

Pensky-Martens closed cup

Flammability class: Will burn

Autoignition temperature

no data available

Flammability / Explosive limit

no data available

5.1 Extinguishing media

Suitable extinguishing media

- Water spray
- Foam
- Carbon dioxide (CO2)
- Multipurpose powders

Unsuitable extinguishing media

- High volume water jet

PRCO90055644

Version: 1.02 / US (Z8)



Revision Date 07/05/2016

- (frothing possible)

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire fighting

- Under fire conditions:
- Will burn
- Hazardous decomposition products formed under fire conditions.

Hazardous combustion products:

- On combustion or on thermal decomposition (pyrolysis), releases:
- Carbon oxides

5.3 Advice for firefighters

Special protective equipment for fire-fighters

- Firefighters should wear NIOSH/MSHA approved self-contained breathing apparatus and full protective clothing.

Specific fire fighting methods

- Do not use a solid water stream as it may scatter and spread fire.

Further information

- Standard procedure for chemical fires.
- Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
- Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- Wear suitable protective equipment.
- For further information refer to section 8 "Exposure controls / personal protection."

6.2 Environmental precautions

- Stop the leak. Turn leaking containers leak-side up to prevent the escape of liquid.
- Contain the spilled material by diking.
- Do not flush into surface water or sanitary sewer system.
- Take all necessary measures to avoid accidental discharge of products into drains and waterways due to the rupture of containers or transfer systems.
- Spills may be reportable to the National Response Center (800-424-8802) and to state and/or local agencies

6.3 Methods and materials for containment and cleaning up

Stop leak if safe to do so.

Recovery

- Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).
- Shovel or sweep up.
- Never return spills in original containers for re-use.
- Keep in properly labeled containers.
- Keep in suitable, closed containers for disposal.

PRCO90055644

Version: 1.02 / US (Z8)



RHODASURF TDA 8.5

Revision Date 07/05/2016

Decontamination / cleaning

- Wash nonrecoverable remainder with large amounts of water.
- Clean contaminated surface thoroughly.
- Recover the cleaning water for subsequent disposal.
- Decontaminate tools, equipment and personal protective equipment in a segregated area.

Disposal

- Dispose of in accordance with local regulations.

Additional advice

Material can create slippery conditions.

6.4 Reference to other sections

- 7. HANDLING AND STORAGE
- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
- 13. DISPOSAL CONSIDERATIONS

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- Freezing will affect the physical condition but will not damage the material. Thaw and mix before using.
- Avoid localized overheating.
- Vent drums while heating
- Mix thoroughly before use.
- Ethylene oxide may collect in container head space.
- Provide adequate ventilation.
- Handle in accordance with good industrial hygiene and safety practice.
- Avoid inhalation of vapor or mist.
- Avoid contact with skin and eyes.

Hygiene measures

- Personal hygiene is an important work practice exposure control measure and the following general measures should be taken when working with or handling this materials:
- 1) Do not store, use, and/or consume foods, beverages, tobacco products, or cosmetics in areas where this material is stored.
- 2) Wash hands and face carefully before eating, drinking, using tobacco, applying cosmetics, or using the toilet.
- 3) Wash exposed skin promptly to remove accidental splashes or contact with material.
- The user is responsible for monitoring the working environment in accordance with local laws and regulations.

7.2 Conditions for safe storage, including any incompatibilities

PRCO90055644

Version: 1.02 / US (Z8)



Revision Date 07/05/2016

Technical measures/Storage conditions

- Take all necessary measures to avoid accidental discharge of products into drains and waterways due to the rupture of containers or transfer systems.
- Stable under normal conditions.
- Keep in a dry, cool and well-ventilated place.
- Keep container tightly closed.
- Keep away from open flames, hot surfaces and sources of ignition.
- Keep away from incompatible materials to be indicated by the manufacturer
- Keep away from: Hazardous reactions may occur on contact with certain chemicals. (Refer to the list of incompatible materials section 10: "Stability-Reactivity").

Packaging material

Suitable material

- Coated steels.
- Plastic materials.

Requirements for storage rooms and vessels

Recommended storage temperature: > 39 °F (> 4 °C)

7.3 Specific end use(s)

- no data available

SECTION 8: Exposure controls/personal protection

Introductory Remarks: These recommendations provide general guidance for handling this product. Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. Assistance with selection, use and maintenance of worker protection equipment is generally available from equipment manufacturers.

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Control measures

Engineering measures

- Where engineering controls are indicated by use conditions or a potential for excessive exposure exists, the following traditional exposure control techniques may be used to effectively minimize employee exposures:
- Effective exhaust ventilation system

Individual protection measures

Respiratory protection

- When respirators are required, select NIOSH/MSHA approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industrial recommendations.

Hand protection

- Recommended preventive skin protection
- Gloves
- Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the
 gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of
 cuts, abrasion, and the contact time.

PRCO90055644

Version: 1.02 / US (Z8)





Revision Date 07/05/2016

Eye protection

- Eye and face protection requirements will vary dependent upon work environment conditions and material handling practices. Appropriate ANSI Z87 approved equipment should be selected for the particular use intended for this material.
- Eye contact should be prevented through the use of:
- Safety glasses with side-shields

Skin and body protection

- Recommended preventive skin protection
- Footwear protecting against chemicals
- Impervious clothing

Hygiene measures

- Personal hygiene is an important work practice exposure control measure and the following general measures should be taken when working with or handling this materials:
- 1) Do not store, use, and/or consume foods, beverages, tobacco products, or cosmetics in areas where this
 material is stored.
- 2) Wash hands and face carefully before eating, drinking, using tobacco, applying cosmetics, or using the toilet.
- 3) Wash exposed skin promptly to remove accidental splashes or contact with material.
- The user is responsible for monitoring the working environment in accordance with local laws and regulations.

Protective measures

- Ensure that eyewash stations and safety showers are close to the workstation location.
- Emergency equipment immediately accessible, with instructions for use.
- Selection of appropriate personal protective equipment should be based on an evaluation of the performance characteristics of the protective equipment relative to the task(s) to be performed, conditions present, duration of use, and the potential hazards, and/or risks that may occur during use.
- The protective equipment must be selected in accordance with current local standards and in cooperation with the supplier of the protective equipment.

SECTION 9: Physical and chemical properties

Physical and Chemical properties here represent typical properties of this product. Contact the business area using the Product information phone number in Section 1 for its exact specifications.

9.1 Information on basic physical and chemical properties

Appearance Physical state: Color:

clear to cloudy

liquid

Odor very faint

Odor Threshold no data available


<u>pH</u> 6.0 - 8.0 (5 % (m / m))

Aqueous solution

Melting point/freezing point no data available

PRC090055644

Version: 1.02 / US (Z8)



RHODASURF TDA 8.5

Revision Date 07/05/2016

Initial boiling point and boiling range

no data available

Flash point

> 200 °F (> 93 °C) Pensky-Martens closed cup

Flammability class: Will burn

Evaporation rate (Butylacetate = 1)

no data available

Flammability (solid, gas)

no data available

Flammability (liquids)

no data available

Flammability / Explosive limit

no data available

Autoignition temperature

no data available

Vapor pressure

< 0.01 mmHg (0.01 hPa) (77 °F (25 °C))

Vapor density

no data available

Density

0.99 - 1.04 kg/dm3 (104 °F (40 °C))

Relative density

no data available

Solubility

Water solubility:

soluble

Solubility in other solvents:

not determined

Partition coefficient: n-octanol/water

Not applicable, Surface-Active.

Decomposition temperature

no data available

Viscosity

no data available

Explosive properties
Oxidizing properties

no data available Not considered as oxidizing., Structure-activity relationship (SAR)

9.2 Other information

no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

- no data available

10.2 Chemical stability

- Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

PRCO90055644

Version: 1.02 / US (Z8)



RHODASURF TDA 8.5

Revision Date 07/05/2016

Polymerization

- Hazardous polymerization does not occur.

10.4 Conditions to avoid

- Keep away from heat and sources of ignition.
- Keep away from flames and sparks.

10.5 Incompatible materials

- Strong oxidizing agents
- Strong reducing agents.

10.6 Hazardous decomposition products

- On combustion or on thermal decomposition (pyrolysis), releases:
- (Carbon oxides (CO + CO2)).

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Acute oral toxicity

Ethoxylated Tridecanol

Rat

By analogy

Harmful if swallowed.

Unpublished internal reports

Acute inhalation toxicity

no data available

Acute dermal toxicity

Ethoxylated Tridecanol

Not classified as harmful by contact with skin

category approach

Acute toxicity (other routes of

administration)

no data available

Skin corrosion/irritation

Ethoxylated Tridecanol

Humans

No skin irritation By analogy

Serious eye damage/eye irritation

Ethoxylated Tridecanol

Risk of serious damage to eyes.

Method: Draize Test

By analogy

Unpublished internal reports

Respiratory or skin sensitization

Ethoxylated Tridecanol

Does not cause skin sensitization.

category approach

PRCO90055644

Version: 1.02 / US (Z8)



RHODASURF TDA 8.5

Revision Date 07/05/2016

<u>Mutagenicity</u>

Genotoxicity in vitro

Ethoxylated Tridecanol

In vitro tests did not show mutagenic effects

category approach

Genotoxicity in vivo

Ethoxylated Tridecanol

In vivo tests did not show mutagenic effects

category approach

Carcinogenicity

no data available

This product does not contain any ingredient designated as probable or suspected human carcinogens by:

NTP IARC

OSHA

ACGIH

Toxicity for reproduction and development

Toxicity to reproduction / fertility

no data available

Developmental Toxicity/Teratogenicity no data available

STOT

STOT-single exposure

Ethoxylated Tridecanol

The substance or mixture is not classified as specific target organ toxicant, single

exposure according to GHS criteria. category approach, internal evaluation

STOT-repeated exposure

Ethoxylated Tridecanol

no data available

Aspiration toxicity

no data available

SECTION 12: Ecological information

12.1 Toxicity

Aquatic Compartment

Acute toxicity to fish

no data available

Acute toxicity to daphnia and other

aquatic invertebrates.

no data available

Toxicity to aquatic plants

no data available

Toxicity to microorganisms

no data available

PRCO90055644

Version: 1.02 / US (Z8)



RHODASURF TDA 8.5

Revision Date 07/05/2016

Chronic toxicity to fish

no data available

Chronic toxicity to daphnia and other aquatic invertebrates.

no data available

Chronic Toxicity to aquatic plants

no data available

12.2 Persistence and degradability

Abiotic degradation

no data available

Physical- and photo-chemical

elimination

no data available

Biodegradation

Biodegradability Ethoxylated Tridecanol

ridecanol The substance fulfills the criteria for ultimate aerobic biodegradability and ready

biodegradability category approach

12.3 Bioaccumulative potential

Partition coefficient: n-

octanol/water

Not applicable, Surface-Active.

Bioconcentration factor (BCF)

no data available

12.4 Mobility in soil

Adsorption potential (Koc)

no data available

Known distribution to environmental compartments

Ultimate destination of the product: Water

Ultimate destination of the product: Sediment

12.5 Results of PBT and vPvB assessment

Ethoxylated Tridecanol

This substance is not considered to be persistent, bioaccumulating, and toxic

(PBT).

This substance is not considered to be very persistent and very bioaccumulating

(vPvB).

PRCO90055644

Version: 1.02 / US (Z8)



Revision Date 07/05/2016

12.6 Other adverse effects

no data available

Ecotoxicity assessment

Acute aquatic toxicity Ethoxylated Tridecanol

Toxic to aquatic life.

Chronic aquatic toxicity

Ethoxylated Tridecanol

Does not have any known long term adverse effects on the aquatic organisms

testec

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product Disposal

Chemical additions, processing or otherwise altering this material may make the waste management information
presented in this SDS incomplete, inaccurate or otherwise inappropriate. Please be advised that state and local
requirements for waste disposal may be more restrictive or otherwise different from federal laws and regulations. Consult
state and local regulations regarding the proper disposal of this material.

Waste Code

- Environmental Protection Agency
- Hazardous Waste NO

Advice on cleaning and disposal of packaging

- Rinse with an appropriate solvent.
- Dispose of in accordance with local regulations.

SECTION 14: Transport information

DOT

not regulated

<u>TDG</u>

not regulated

IMDG

not regulated

<u>IATA</u>

not regulated

Note: The above regulatory prescriptions are those valid on the date of publication of this sheet. Given the possible evolution of transportation regulations for hazardous materials, it would be advisable to check their validity with your sales office.

PRCO90055644

Version: 1.02 / US (Z8)



Revision Date 07/05/2016

SECTION 15: Regulatory information

15.1 Notification status

| Inventory Information | Status |
|---|--|
| United States TSCA Inventory | - On TSCA Inventory |
| Canadian Domestic Substances List (DSL) | All components of this product are on the Canadian DSL |
| Australia Inventory of Chemical Substances (AICS) | On the inventory, or in compliance with the inventory |
| Japan. CSCL - Inventory of Existing and New Chemical Substances | On the inventory, or in compliance with the inventory |
| Korea. Korean Existing Chemicals Inventory (KECI) | On the inventory, or in compliance with the inventory |
| China. Inventory of Existing Chemical Substances in China (IECSC) | On the inventory, or in compliance with the inventory |

15.2 Federal Regulations

US. EPA EPCRA SARA Title III

SARA HAZARD DESIGNATION SECTIONS 311/312 (40 CFR 370)

| Fire Hazard | no |
|-----------------------------------|-----|
| Reactivity Hazard | no |
| Sudden Release of Pressure Hazard | по |
| Acute Health Hazard | yes |
| Chronic Health Hazard | no |

Section 313 Toxic Chemicals (40 CFR 372.65)

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Section 302 Emergency Planning Extremely Hazardous Substance Threshold Planning Quantity (40 CFR 355) No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

Section 302 Emergency Planning Extremely Hazardous Substance Reportable Quantity (40 CFR 355)

| Ingredients | CAS-No. | Reportable quantity |
|----------------|---------|---------------------|
| Ethylene Oxide | 75-21-8 | 10 lb |

Section 304 Emergency Release Notification Reportable Quantity (40 CFR 355)

| Ingredients | CAS-No. | Reportable quantity |
|----------------|---------|---------------------|
| Ethylene Oxide | 75-21-8 | 10 lb |

US. EPA CERCLA Hazardous Substances and Reportable Quantities (40 CFR 302.4)

| Ingredients | CAS-No. | Reportable quantity |
|----------------|----------|---------------------|
| Ethylene Oxide | 75-21-8 | 10 lb |
| 1,4-Dioxane | 123-91-1 | 100 lb |
| Acetaldehyde | 75-07-0 | 1000 lb |

PRCO90055644

Version: 1.02 / US (Z8)



Revision Date 07/05/2016

15.3 State Regulations

US. California Safe Drinking Water & Toxic Enforcement Act (Proposition 65)

WARNING! This product contains a chemical known in the State of California to cause cancer.

| Ingredients | CAS-No. |
|----------------|----------|
| Acetaldehyde | 75-07-0 |
| Ethylene Oxide | 75-21-8 |
| 1,4-Dioxane | 123-91-1 |

WARNING: This product contains a chemical known in the State of California to cause birth defects or other reproductive harm.

| Ingredients | CAS-No. |
|----------------|---------|
| Ethylene Oxide | 75-21-8 |

SECTION 16: Other information

NFPA (National Fire Protection Association) - Classification

Health 2 moderate
Flammability 1 slight
Instability or Reactivity 0 minimal

HMIS (Hazardous Materials Identification System (Paint & Coating)) - Classification

Health 2 moderate
Flammability 1 slight
Reactivity 0 minimal

PPE Determined by User, dependent on local conditions

Further information

- Product evaluated under the US GHS format.

Date Prepared: 07/05/2016

ACGIH American Conference of Governmental Industrial Hygienists

- OSHA Occupational Safety and Health Administration

NTP National Toxicology Program

IARC International Agency for Research on Cancer
 NIOSH National Institute for Occupational Safety and Health

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. Such information is only given as a guidance to help the user handle, use, process, store, transport, dispose, and release the product in satisfactory safety conditions and is not to be considered as a warranty or quality specification. It should be used in conjunction with technical sheets but do not replace them. Thus, the information only relates to the designated specific product and may not be applicable if such product is used in combination with other materials or in any other manufacturing process, unless otherwise specifically indicated. It does not release the user from ensuring he is in conformity with all regulations linked to its activity.

PRCO90055644

Version: 1.02 / US (Z8)

