

## SAFETY DATA SHEET

According to the Hazard Communication Standard, 29 CFR 1910.1200

**SDS # :** 083078

## CARTER EP 320

Date of the previous version: 2015-07-30

**Revision Date:** 2017-09-20

Version 2

1. IDENTIFICATION			
Product identifier			
Product name	CARTER EP 320		
Other means of identification			
Product Code(s)	083078		
Number Substance/mixture	191 Mixture		
Recommended use of the chemical	and restrictions on use		
Identified uses	Industrial gear oil.		
Uses advised against	Do not use for any purpose other than the one for which it is intended		
Details of the supplier of the safety	data sheet		
Supplier Address	TOTAL Specialties USA, Inc. 1201 Louisiana St. Suite 1800 Houston, TX 77002 Phone: 713-483-5000		
Contact Point	Technical/ HSEQ		
E-mail Address	USRMLIN-info@total.com		
Emergency telephone number Company Phone Number Emergency telephone	+1 (908) 862-9300 +1 866 928 0789 (24h/24, 7d/7) +1 215 207 0061 (24h/24, 7d/7)		

## 2. HAZARDS IDENTIFICATION

## **Classification**

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

## Label elements

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)



## CARTER EP 320

Date of the previous version: 2015-07-30

Revision Date: 2017-09-20

Version 2

## Unknown Acute Toxicity

97.68% of the mixture consists of ingredient(s) of unknown toxicity

## Hazards not otherwise classified (HNOC) None known Other information Physical-Chemical Properties Contaminated surfaces will be extremely slippery.

**Environmental properties** Should not be released into the environment.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

## Mixture

This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Additional information	Product containing mineral oil with less than 3% DMSO extract as measured by IP 346
Additional information	Froduct containing mineral on with less than 3% DMSO extract as measured by IP 346

## 4. FIRST AID MEASURES

## First aid measures for different exposure routes

General advice	IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.		
Eye contact	Rinse thoroughly with plenty of water, also under the eyelids. Keep eye wide open while rinsing.		
Skin contact	Remove contaminated clothing and shoes. Wash off with soap and water. Wash contaminated clothing before reuse.		
Inhalation	Inhalation of high concentrations of vapor or aerosols may cause irritation of the upper respiratory tract.		
Ingestion	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately. If swallowed, do not induce vomiting - seek medical advice.		
Most important symptoms/effects, acute and delayed			
Skin contact	Not classified.		

Eye contact Not classified.



<b>SDS #</b> : 083078	CARTER EP 320			
Date of the previous version: 201	5-07-30 Revision Date: 2017-09-20 Vers			
Inhalation	Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system.			
Ingestion	Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.			
Symptoms	Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.			
Indication of immediate medical a	tention and special treatment needed, if necessary			
Notes to physician	Treat symptomatically.			
5. FIRE-FIGHTING MEASUR	S			
Suitable Extinguishing Media	Carbon dioxide (CO 2). ABC powder. Foam. Water spray or fog.			
Unsuitable Extinguishing Media	Do not use a solid water stream as it may scatter and spread fire.			
Special Hazard	Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may be highly dangerous if inhaled in confined spaces or at high concentration. Hazardous decomposition products due to incomplete combustion. Phosphorous oxides. Nitrogen oxides (NOx).			
Explosion Data				
Sensitivity to Mechanical Impact Sensitivity to Static Discharge	None. None.			
Protective Equipment and Precautions for Firefighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Evacuate non-essential personnel.			

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

General Information	Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition.
Other information	See Section 12 for additional information.
Environmental precautions	
General Information	Do not allow material to contaminate ground water system. Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained. See Section 12 for additional Ecological Information.
Methods and material for containm	ent and cleaning up

## Methods for cleaning up Dam up. Keep in suitable, closed containers for disposal. Soak up with inert absorbent



## **CARTER EP 320**

Date of the previous version: 2015-07-30

**Revision Date: 2017-09-20** 

Version 2

material. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

## 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling	When using, do not eat, drink or smoke. For personal protection see section 8. Use only in well-ventilated areas. Do not breathe vapors or spray mist. Avoid contact with skin, eyes and clothing.		
Prevention of fire and explosion	Take precautionary measures against static discharges: Ground/bond containers, tanks and transfer/receiving equipment.		
Hygiene measures	Ensure the application of strict rules of hygiene by the personnel exposed to the risk of contact with the product. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets. When using, do not eat, drink or smoke. Use personal protective equipment as required. Wash hands before breaks and at the end of workday. Wash hands with water as a precaution. Avoid breathing vapors, mist or gas. Avoid extended and repeated contact with the skin as this may cause skin conditions, which may also be aggravated by minor injuries or by contact with soiled clothing. Avoid prolonged and repeated contact with the skin, especially with used or waste product.		
Conditions for safe storage, including any incompatibilities			

Technical measures/Storage<br/>conditionsKeep away from food, drink and animal feedingstuffs. Keep preferably in the original<br/>container. Otherwise reproduce all indication of the regulation label on the new container.<br/>Do not remove the hazard labels of the containers (even if they are empty). Design the<br/>installations in order to avoid accidental emissions of product (due to seal breakage, for<br/>example) onto hot casings or electrical contacts. Protect from frost, heat and sunlight.<br/>Protect from moisture. Keep in a bunded area. Keep in properly labeled containers.

Materials to Avoid

Strong oxidizing agents.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Control parameters

Exposure limits

Mineral oil mist: USA: OSHA (PEL) TWA 5 mg/m<sup>3</sup>, NIOSH (REL) TWA 5 mg/m<sup>3</sup>, STEL 10 mg/m<sup>3</sup>, ACGIH (TLV) TWA 5 mg/m<sup>3</sup> (highly refined)

Exposure controls



SDS #: 083078	C	ARTER EP 320	
Date of the previous version:	2015-07-30	<b>Revision Date:</b> 2017-09-20	Version 2
Engineering Measures	confined space	al measures to comply with the occupational exposure es (tanks, containers, etc.), ensure that there is a supp wear the recommended equipment.	
Individual protection measure	s, such as personal	protective equipment	
General Information		is used in mixtures, it is recommended that you contact ipment suppliers. These recommendations apply to th	
Eye/face protection	If splashes are	e likely to occur, wear:. Safety glasses with side-shield	S.
Skin and body protection	Wear suitable	protective clothing. Protective shoes or boots.	
Hand Protection	regarding perr gloves. Also ta	proof gloves. Rubber gloves. Nitrile rubber. Please obsequent and breakthrough time which are provided by ake into consideration the specific local conditions und the danger of cuts, abrasion, and the contact time.	the supplier of the
Respiratory protection	experienced, N Positive-press	d under normal usage. If exposure limits are exceeded NIOSH/MSHA approved respiratory protection should sure supplied air respirators may be required for high a s. Respiratory protection must be provided in accorda	be worn. iirborne contaminant
Hygiene measures	contact with th recommended not use abrasi contaminated When using, d Wash hands b precaution. Av the skin as this or by contact v	plication of strict rules of hygiene by the personnel exp ne product. Regular cleaning of equipment, work area d. Wash hands before breaks and immediately after ha ives, solvents or fuels. Do not dry hands with rags that with product. Do not put product contaminated rags in do not eat, drink or smoke. Use personal protective equ before breaks and at the end of workday. Wash hands void breathing vapors, mist or gas. Avoid extended and s may cause skin conditions, which may also be aggra with soiled clothing. Avoid prolonged and repeated cor n used or waste product.	and clothing is andling the product. Do thave been to workwear pockets. uipment as required. with water as a d repeated contact with avated by minor injuries

## 9. PHYSICAL AND CHEMICAL PROPERTIES

## **Physical and chemical properties**

Color dark amber Physical State @20°C liquid Petroleum distillates Odor No information available **Odor Threshold Property** Values Remarks Method рΗ No information available



<b>SDS #</b> : 083078	CAR	TER EP 320		
Date of the previous version: 2015	5-07-30	<b>Revision Date: 2017-09-20</b>		Version 2
Melting point/range		No information available		
Boiling point/boiling range		No information available		
Flash point Evaporation rate Flammability Limits in Air	<b>205 °C</b> 401 °F	No information available No information available	ASTM D 92 ASTM D 92.	
upper Lower Vapor Pressure Vapor density Relative density Density Water solubility Solubility in other solvents logPow Autoignition temperature	- - 0.910 910.7 kg/m <sup>3</sup>	No information available No information available No information available No information available @ 15 °C @ 15 °C Not applicable No information available No information available Not applicable	ASTM D 1298 ASTM D 1298	
Decomposition temperature Viscosity, kinematic Explosive properties Oxidizing Properties Possibility of hazardous reactions <u>Other information</u>	320 mm2/s Not explosive Not applicable Not applicable	No information available @ 40 °C	ASTM D 445	
Freezing Point		No information available		
Pour point Fire point	-12 °C 293 °C		ASTM D 97 ASTM D 92	

# 10. STABILITY AND REACTIVITY Reactivity No information available. Chemical stability Stable under recommended storage conditions. Possibility of hazardous reactions None under normal processing. Conditions to avoid Heat (temperatures above flash point), sparks, ignition points, flames, static electricity. Heat, flames and sparks. Take precautionary measures against static discharges. Strong oxidizing agents. Incompatible materials Strong oxidizing agents. Hazardous Decomposition Products Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot.

## **11. TOXICOLOGICAL INFORMATION**



<b>SDS #</b> : 083078	CARTER EP 320			
Date of the previous version: 201	5-07-30	<b>Revision Date: 2017-09-20</b>	Version 2	
Information on likely routes of exp	osure			
Principle Routes of Exposure	Inhalation, Inge	estion, Eye contact, Skin contact.		
Symptoms	Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.			
Skin contact	Not classified.			
Eye contact	Not classified.			
Inhalation	Not classified. I system.	Inhalation of vapors in high concentration may cause	irritation of respiratory	
Ingestion	Not classified. I diarrhea.	ngestion may cause gastrointestinal irritation, nause	a, vomiting and	

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

## Acute toxicity - Product Information

Product Information	Product does not present an acute toxicity hazard based on known or supplied information.			
Oral ATEmix (oral)	5120 mg/kg			
Dermal ATEmix (dermal)	5120 mg/kg			
Inhalation ATEmix (inhalation-dust/mist) ATEmix (inhalation-vapor)	5.2 mg/l 20.6 mg/l			
Acute toxicity - Component Inform	ation			
Sensitization Carcinogenicity	Not classified based on available data. This product is not classified carcinogenic.			
Mutagenicity Reproductive toxicity Other adverse effects	This product is not classified as mutagenic. This product does not present any known or suspected reproductive hazards. Characteristic skin lesions (pimples) may develop following prolonged and repeated			
Aspiration hazard	exposures (contact with contaminated clothing). Not classified.			

## **12. ECOLOGICAL INFORMATION**



<b>SDS #</b> : 083078	CARTER EP 320
Date of the previous version: 201	5-07-30         Revision Date: 2017-09-20         Version 2
Ecotoxicity	Harmful to aquatic life Harmful to aquatic life with long lasting effects
Acute aquatic toxicity - Product In	formation
No information available	
Acute aquatic toxicity - Componer	nt Information
No information available	
Chronic aquatic toxicity - Product	Information
No information available	
Chronic aquatic toxicity - Compor	ent Information
No information available	
Effects on terrestrial organisms	No information available.
Persistence and degradability	
General Information	No information available.
Bioaccumulative potential	
Product Information	No information available.
logPow	No information available
Component Information	No information available.
<u>Mobility</u>	
Soil	Given its physical and chemical characteristics, the product generally shows low soil
Air	mobility Loss by evaporation is limited
Water Other adverse effects_	Insoluble The product spreads on the surface of the water.
General Information	No information available

## **13. DISPOSAL CONSIDERATIONS**



SDS #: 083078 CARTER EP 320				
Date of the previous version:	2015-07-30	<b>Revision Date:</b> 2017-09-20	Version 2	
Waste treatment				
Waste Disposal Methods	Dispose of in ac	ccordance with local regulations.		
Contaminated packaging	Empty containe disposal.	rs should be taken to an approved waste handling si	te for recycling or	

This product contains one or more substances that are listed with the State of California as a hazardous waste.

## **14. TRANSPORT INFORMATION**

DOT	Not regulated
TDG	Not regulated
MEX	Not regulated
ICAO/IATA	Not regulated
IMDG/IMO	Not regulated
ADR/RID	Not regulated
ADN	Not regulated

## **15. REGULATORY INFORMATION**

## **U.S. Federal Regulations**

SARA 313 Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories	
Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

## Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).



## CARTER EP 320

Date of the previous version: 2015-07-30

Revision Date: 2017-09-20

Version 2

## Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990.

## CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

## **U.S. State Regulations**

## California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical Name	Weight %	California Prop. 65
Toluene - 108-88-3	0.0058	Developmental

## U.S. State Right-to-Know Regulations

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois
Paraffin oils	X			
(petroleum),catalytic dewaxed heavy				
64742-70-7				

16. OTHER INFORMATION				
NFPA	Health Hazard 1	Flammability 1	Instability 0	Special hazards $\ \ -$ Personal protection $\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \$
HMIS	Health Hazard 1	Flammability 1	Physical Hazard 0	

NFPA (National Fire Protection Association)

HMIS (Hazardous Material Information System)

Hazards are split into categories each with a 0 to 4 rating, 0 meaning no hazard and 4 meaning high hazard

Revision Date:2017-09-20Revision Note\*\*\* Indicates updated sectionAbbreviations, acronymsACGIH = American Conference of Governmental Industrial Hygienistsbw = body weightbw/day = body weight/dayEC x = Effect Concentration associated with x% responseGLP = Good Laboratory PracticeIARC = International Agency for Research of Cancer



## CARTER EP 320

## Date of the previous version: 2015-07-30

Revision Date: 2017-09-20

Version 2

LC50 = 50% Lethal concentration - Concentration of a chemical in air or a chemical in water which causes the death of 50% (one half) of a group of test animals LD50 = 50% Lethal Dose - Chemical amount, given at once, which causes the death of 50% (one half) of a group of test animals LL = Lethal Loading NIOSH = National Institute of Occupational Safety and Health NOAEL = No Observed Adverse Effect Level NOEC = No Observed Effect Concentration NOEL = No Observed Effect Level OECD = Organization for Economic Co-operation and Development OSHA = Occupational Safety and Health Administration UVCB = Substance of unknown or Variable composition, Complex reaction products or Biological material Legend Section 8 ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH - National Institute for Occupational Safety and Health TLV - Threshold Limit Values PEL - Permissible Exposure Limits IDHL - Immediately Dangerous to Life or Health concentrations TWA - Time Weight Average STEL - Short Term Exposure Limits S\* - Skin notation **TSCA - Toxic Substance Control Act** 

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

End of the Safety Data Sheet