

SAFETY DATA SHEET

According to the Hazard Communication Standard, 29 CFR 1910.1200

SDS # : 084043

DACNIS PG 46

Date of the previous version: not applicable

Revision Date: 2016-04-11

Version 1

1. IDENTIFICATION	
Product identifier	
Product name	DACNIS PG 46
Other means of identification	
Product Code(s)	084043
Number Substance/mixture	BT9 Mixture
Recommended use of the chemica	al and restrictions on use
Identified uses	synthetic. Air compressor oil.
Uses advised against	Do not use for any purpose other than the one for which it is intended
Details of the supplier of the safet	y data sheet
Supplier Address	TOTAL Specialties USA Inc 1201 Louisiana Street, Suite 1800 Houston, TX 77002 Phone: +1 800 323 3198
Contact Point	Technical/ HSEQ
E-mail Address	USRMLIN-info@total.com
Emergency telephone number Company Phone Number Emergency telephone	+1 (908) 862-9300 +1 866 928 0789 (24h/24, 7d/7) +1 215 207 0061 (24h/24, 7d/7)
2. HAZARDS IDENTIFICATIO	N

Classification

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Label elements

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Version GNAM



SDS # : 084043

DACNIS PG 46

Date of the previous version: not applicable

Revision Date: 2016-04-11

Version 1

Unknown Acute Toxicity No information available

Hazards not otherwise classified (HNOC) None known

Other information Physical-Chemical Properties	Contaminated surfaces will be extremely slippery.
Environmental properties	Should not be released into the environment.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

* The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

First aid measures for different exposure routes

General advice	IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.
Eye contact	Rinse immediately with plenty of water and seek medical advice.
Skin contact	Remove contaminated clothing and shoes. Wash off with soap and water. Wash contaminated clothing before reuse.
Inhalation	Inhalation of high concentrations of vapor or aerosols may cause irritation of the upper respiratory tract.
Ingestion	If swallowed, do not induce vomiting - seek medical advice.
Most important symptoms/effects,	acute and delayed
Skin contact	Not classified.
Eye contact	Not classified.
Inhalation	Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system.



SDS # : 084043	D	ACNIS PG 46			
Date of the previous version: not	applicable	Revision Date: 2016-04-11	Version 1		
Ingestion	Not classified. Ir diarrhea.	ngestion may cause gastrointestinal irritation, nausea	a, vomiting and		
Symptoms	Symptoms of ov	verexposure may be headache, dizziness, tiredness,	nausea and vomiting.		
Indication of immediate medical a	ttention and speci	al treatment needed, if necessary			
Notes to physician	Treat symptomatically.				
5. FIRE-FIGHTING MEASUR	ES				
Suitable Extinguishing Media	Foam. Carbon c	lioxide (CO 2). ABC powder. Water spray or fog.			
Unsuitable Extinguishing Media	Do not use a solid water stream as it may scatter and spread fire.				
Special Hazard	Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may be highly dangerous if inhaled in confined spaces or at high concentration.				
Explosion Data					
Sensitivity to Mechanical Impact Sensitivity to Static Discharge	None. None.				
Protective Equipment and Precautions for Firefighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Evacuate non-essential personnel.				

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

General Information	Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition.
Other information	See Section 12 for additional information.
Environmental precautions	
General Information	Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained. Try to prevent the material from entering drains or water courses.
Methods and materials for containn	nent and cleaning up
Methods for cleaning up	Dam up. Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

7. HANDLING AND STORAGE



Date of the previous version: not applicable Revision Date: 2016-04-11 Version Precautions for safe handling When using, do not eat, drink or smoke. For personal protection see section 8. Use only in well-ventilated areaes. Do not breathe vapors or spray mist. Avoid contact with skin, eyes and clothing. Prevention of fire and explosion Take precautionary measures against static discharges. Ground/bond containers, tanks and transfer/receiving equipment. Hygiene measures Ensure the application of strict rules of hygiene by the personnel exposed to the risk of contact with the product. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Do no totar breaks with rags that have been consumated with potuct. Do no totar protect contaminated rags into workwear pockets. Wash hands before breaks and immediately after handling the product. Do no totar protect contaminated may incompatibilities Conditions for safe storage, including any incompatibilities Keep previous work for example) onto hot casings or electrical container. Otherwise reproduce all indication of the regulation label on the new container. Otherwise reproduce all indication of the regulation label on the new container. Do not remove the hazard labels of the containers (seen in original containers. Even and work of the same analy incompatibilities 8. EXPOSURE CONTROLS/PERSONAL PROTECTION Control parameters. Exposure limits Contains no substances with occupational exposure limit, when working confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breakting and wear the recommended equipment. Indivi	SDS # : 084043	D	ACNIS PG 46	
Advice on safe handling When using, do not eat, drink or smoke. For personal protection see section 8. Use only in well-ventilated areas. Do not breathe vapors or spray mist. Avoid contact with skin, eyes and clothing. Prevention of fire and explosion Take precautionary measures against static discharges. Ground/bond containers, tanks and transfer/receiving equipment. Hygiene measures Ensure the application of strict rules of hygiene by the personnel exposed to the risk of recommended. Wash hands before breaks and immediately after handling the product. Do not tup advicts containinated with product. Do not dup hands with rags that have been contaminated with product. Do not put product contaminated may before breaks and at the end of workday. Conditions for safe storage, including any incompatibilities Keep away from food, drink and animal feedingstuffs. Keep in a bunded area. Keep container tightly closed. Keep preferably in the original container. Otherwise reproduce all indication of the regulation label on the new container. Do not drev baavai cacident emissions of product (due to seal breakage, for example) on to dre to avoid accident emissions of product (due to seal breakage, for example) on to dreve avid accident emissions of product (due to seal breakage, for example) on to dreve avid accident emissions of product (due to seal breakage, for example) on to dreve avid accident emissions of product (due to seal breakage, for example) on to dreve avid accident emissions of product (due to seal breakage, for example) on to dreve avid accident emissions of product (due to seal breakage, for example) on hord casings or electrical containers. Never if they are enabyl. Design the installations in order to avoid accident emissions of product (due to seal breakage, for example) on to dreve avid accident emissions of product	Date of the previous version: not	applicable	Revision Date: 2016-04-11	Version
well-ventilated areas. Do not breathe vapors or spray mist. Avoid contact with skin, eyes and clothing. Prevention of fire and explosion Take precautionary measures against static discharges. Ground/bond containers, tanks and transfer/receiving equipment. Hygiene measures Ensure the application of strict rules of hygiene by the personnel exposed to the risk of contact with the product. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handing the product. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated with roduct. Do not put product contaminated with registing any incompatibilities Technical measures/Storage Keep away from food, drink and animal feedingstuffs. Keep in a bunded area. Keep conditions Conditions Keep away from food, drink and animal feedingstuffs. Keep in a bunded area. Keep conditions Keep away from food, drink and animal feedingstuffs. Keep in a bunded area. Keep conditions Container tighty closed. Keep preforaby in the original container. Otherwise reproduce all indication of the regulation label on the new container. Do not remove the hazard labels of the containers (even if they are empty). Design the installations in order to avoid accidents emissions of product (due to see breaksa, end) even working. 8. EXPOSURE CONTROLS/PERSONAL PROTECTION Contrain so substances with occupational exposure limit values. Exposure limits Contains no substances with occupational exposure limits. When working confined spaces (lanks, containers, etc.), ensure that there is a supply of a	Precautions for safe handling			
and transfer/receiving equipment. Hygiene measures Ensure the application of strict rules of hygiene by the personnel exposed to the risk of contact with the product. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Do not use adbrasives, solvents or fuels. Do not dry hands with rags that have been containniated with product. Do not put product contaminated with the product. Sequence controls and the product containniated with regulation and the product. Sequence container individue product containning the product containner to provide container (advit) closed. Keep preferably in the original container. Otherwise reproduce all indication of the regulation label on the new container. On or termove the hazard labels of the container (advent) (due to seal breakage, for example) onto hot casings or electrical contacts. Protect from frost, heat and sunlight. Protect from moisture. Keep in a bunded area. Store in original container. Keep in properly labeled containers. Materials to Avoid Strong oxidizing agents. 8. EXPOSURE CONTROLS/PERSONAL PROTECTION Contrains no substances with occupational exposure limits. When working confined spaces (anks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment. Exposure limits Contains no substances to comply with the occupational exposure limits. When	Advice on safe handling	well-ventilated a		
contact with the product. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets. Wash hands before breaks and at the end of workday. Conditions for safe storage, including any incompatibilities Keep away from food, drink and animal feedingstuffs. Keep in a bunded area. Keep container tightly closed. Keep preferably in the original container. Otherwise reproduce all indication of the regulation label on the new container. Do not remove the hazard labels of the containers (even if they are empty). Design the instituons in order to avoid accident emissions of product (due to seal breakage, for example) onto takings or electrical contacts. Protect from forst, heat and sungifich. Protect from moisture. Keep in a bunded area. Store in original container. Keep in properly labeled containers. Materials to Avoid Strong oxidizing agents. 8. EXPOSURE CONTROLS/PERSONAL PROTECTION Control parameters. Exposure limits Contains no substances with occupational exposure limit values. Exposure controls Engineering Measures Apply technical measures to comply with the occupational exposure limits. When working confined spaces (tarks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment. Individual protection measures, such as personal protective equipment If the product is used in mixtures, it is recommended that you contact the appropriate protective	Prevention of fire and explosion			ond containers, tanks
Technical measures/Storage conditions Keep away from food, drink and animal feedingstuffs. Keep in a bunded area. Keep container tightly closed. Keep preferably in the original container. Otherwise reproduce all indication of the regulation label on the new container. Do not remove the hazard labels of the containers (even if they are empty). Design the installations in order to avoid accidenta emissions of product (due to seal breakage, for example) onto hot casings or electrical contacts. Protect from frost, heat and sunlight. Protect from moisture. Keep in a bunded area. Store in original container. Keep in properly labeled containers. Materials to Avoid Strong oxidizing agents. 8. EXPOSURE CONTROLS/PERSONAL PROTECTION Control parameters Exposure limits Contains no substances with occupational exposure limit values. Exposure controls Engineering Measures Apply technical measures to comply with the occupational exposure limits. When working confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment. Individual protection measures, such as personal protective equipment If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied.	Hygiene measures	contact with the recommended. not use abrasive contaminated w	product. Regular cleaning of equipment, work area Wash hands before breaks and immediately after has es, solvents or fuels. Do not dry hands with rags tha ith product. Do not put product contaminated rags in	and clothing is andling the product. Do t have been
conditions container tightly closed. Keep preferably in the original container. Otherwise reproduce all indication of the regulation label on the new container. Do not remove the hazard labels of the containers (even if they are empty). Design the installations in order to avoid accident emissions of product (due to seal breakage, for example) onto hot casings or electrical contacts. Protect from frost, heat and sunlight. Protect from moisture. Keep in a bunded area. Store in original container. Keep in property labeled containers. Materials to Avoid Strong oxidizing agents. 8. EXPOSURE CONTROLS/PERSONAL PROTECTION Control parameters Exposure limits Contains no substances with occupational exposure limit values. Exposure controls Engineering Measures Apply technical measures to comply with the occupational exposure limits. When working confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breating and wear the recommended equipment. Individual protection measures, such as personal protective equipment General Information If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied.	Conditions for safe storage, inclue	ling any incompa	tibilities	
8. EXPOSURE CONTROLS/PERSONAL PROTECTION Control parameters Exposure limits Contains no substances with occupational exposure limit values. Exposure controls Engineering Measures Apply technical measures to comply with the occupational exposure limits. When working confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment. Individual protection measures, such as personal protective equipment General Information If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied.	-	container tightly indication of the the containers (emissions of pro contacts. Protect	r closed. Keep preferably in the original container. O regulation label on the new container. Do not remo even if they are empty). Design the installations in o oduct (due to seal breakage, for example) onto hot o ct from frost, heat and sunlight. Protect from moistur	therwise reproduce all ve the hazard labels of order to avoid accidenta casings or electrical e. Keep in a bunded
Control parameters Exposure limits Contains no substances with occupational exposure limit values. Exposure controls Engineering Measures Apply technical measures to comply with the occupational exposure limits. When working confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment. Individual protection measures, such as personal protective equipment General Information If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied.	Materials to Avoid	Strong oxidizing	g agents.	
Exposure limits Contains no substances with occupational exposure limit values. Exposure controls Engineering Measures Apply technical measures to comply with the occupational exposure limits. When working confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment. Individual protection measures, such as personal protective equipment General Information If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied.	8. EXPOSURE CONTROLS/F	PERSONAL PR	ROTECTION	
Exposure controls Engineering Measures Apply technical measures to comply with the occupational exposure limits. When working confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment. Individual protection measures, such as personal protective equipment General Information If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied.	Control parameters			
Engineering Measures Apply technical measures to comply with the occupational exposure limits. When working confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment. Individual protection measures, such as personal protective equipment General Information If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied.	Exposure limits	Contains no sub	ostances with occupational exposure limit values.	
confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment. Individual protection measures, such as personal protective equipment General Information If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied.	Exposure controls			
General Information If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied.	Engineering Measures	confined spaces	s (tanks, containers, etc.), ensure that there is a sup	
protective equipment suppliers. These recommendations apply to the product as supplied.	Individual protection measures, su	ich as personal p	rotective equipment	
Eye/Face Protection If splashes are likely to occur, wear:. Safety glasses with side-shields.	General Information			
	Eye/Face Protection	If splashes are I	ikely to occur, wear:. Safety glasses with side-shield	ds.



SDS # : 084043	D	ACNIS PG 46	
Date of the previous version:	not applicable	Revision Date: 2016-04-11	Version 1
Skin and body protection	Wear suitable	protective clothing. Protective shoes or boots.	
Hand Protection	Protective glov	ves.	
Respiratory protection	respiratory pro required for hig	its are exceeded or irritation is experienced, NIOSH/M tection should be worn. Positive-pressure supplied ai gh airborne contaminant concentrations. Respiratory cordance with current local regulations.	r respirators may be
Hygiene measures	contact with th recommended not use abrasiv contaminated	blication of strict rules of hygiene by the personnel exp e product. Regular cleaning of equipment, work area a . Wash hands before breaks and immediately after ha ves, solvents or fuels. Do not dry hands with rags that with product. Do not put product contaminated rags in efore breaks and at the end of workday.	and clothing is ndling the product. Do have been

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and chemical properties

Appearance Color Physical State @20°C Odor Odor Threshold		limpid amber liquid Petroleum distillates No information available	
<u>Property</u> pH Melting point/range	Values_	<u>Remarks</u> Not applicable No information available	<u>Method</u>
Boiling point/boiling range		Not applicable	
Flash point	251 °C		Cleveland Open Cup (COC) ASTM D 92
	484 °F		Cleveland Open Cup (COC). ASTM D 92.
Evaporation rate Flammability Limits in Air upper Lower Vapor Pressure Vapor density	:	Not applicable No information available No information available No information available No information available No information available Not	
Relative density Density Water solubility	< 1 < 1000 kg/m³	applicable @ 15 °C @ 15 °C Not applicable	ASTM D 1298 ASTM D 1298



SDS #: 084043

DACNIS PG 46

Date of the previous version: not a	applicable	Revision Date: 2016-04-11		Version 1
Solubility in other solvents logPow Autoignition temperature Decomposition temperature Viscosity, kinematic Explosive properties Oxidizing Properties Possibility of hazardous reactions <u>Other information</u>	45.4 mm2/s Not explosive Not applicable Not applicable	No information available No information available Not applicable No information available @ 40 °C	ASTM D 445	
Specific Gravity Freezing Point	< 1	@ 15 °C No information available	ASTM D 1298	

10. STABILITY AND REACTIVITY

Reactivity	No information available.
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to Avoid	Heat, flames and sparks. Take precautionary measures against static discharges. Heat (temperatures above flash point), sparks, ignition points, flames, static electricity. Strong oxidizing agents.
Incompatible Materials	Strong oxidizing agents.
Hazardous Decomposition Product	s Incomplete combustion and thermolysis may produce gases of varying toxicity such as

Hazardous Decomposition Products Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Principle Routes of Exposure	Inhalation, Ingestion, Eye contact, Skin contact.
Symptoms	Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.
Skin contact	Not classified.
Eye contact	Not classified.
Inhalation	Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system.
Ingestion	Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Delayed and immediate effects as well as chronic effects from short and long-term exposure



Version GNAM

SDS # : 084043	DA	ACNIS PG 46	
Date of the previous version: not	applicable	Revision Date: 2016-04-11	Version
Acute toxicity - Product Informati	on		
Product Information	Product does no	ot present an acute toxicity hazard based on known or su	pplied information.
Oral	Not classified.		
Dermal	Not classified		
Inhalation	Not classified		
Acute toxicity - Component Inform	nation		
Sensitization Carcinogenicity		s a sensitizer. Contains sensitizer(s). not classified carcinogenic.	
Mutagenicity Reproductive toxicity Aspiration Hazard		redient listed as a mutagen. es not present any known or suspected reproductive haz	ards.
12. ECOLOGICAL INFORMA	TION		
Ecotoxicity Acute aquatic toxicity - Product I	nformation		
No information available			
Acute aquatic toxicity - Compone	nt Information		
No information available			
Chronic aquatic toxicity - Produc	t Information		
No experimental data available			
Chronic aquatic toxicity - Compo	nent Information		
No information available			
	No experimental	I data available .	
Effects on terrestrial organisms			
Effects on terrestrial organisms Persistence and degradability			



SDS #: 084043

DACNIS PG 46

Date of the previous version: not applicable

Revision Date: 2016-04-11

Version 1

Bioaccumulative potential				
Product Information	No information available.			
logPow	No information available			
Component Information	No information available.			
<u>Mobility</u>				
Soil <u>Other adverse effects</u>	No information available			
General Information	No information available			
13. DISPOSAL CONSIDERATIONS				
Waste treatment				
Waste Disposal Methods	Dispose of in accordance with local regulations.			

Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.
	uisposai.

14. TRANSPORT INFORMATION

Not regulated
Not regulated

15. REGULATORY INFORMATION



SDS #: 084043

DACNIS PG 46

Date of the previous version: not applicable

Revision Date: 2016-04-11

Version 1

International Inventories

All the substances contained in this product are listed or exempted from listing in the following inventories: U.S.A. (TSCA)

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories	
Acute Health Hazard	no
Chronic Health Hazard	no
Fire Hazard	no
Sudden Release of Pressure Hazard	no
Reactive Hazard	no

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990.

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

No information available

16. OTHER INFORMATION



SDS # : 084043		DACNIS PG 46		
Date of the previous version: not applicable		Revision	Revision Date: 2016-04-11	
NFPA	Health Hazard 1	Flammability 1	Instability 0	Physical and chemical hazards -
HMIS	Health Hazard 1	Flammability 1	Physical Hazard 0	Personal protection X
HMIS (Hazardous Ma	Protection Association) aterial Information System) o categories each with a 0 t	o 4 rating, 0 meaning no l	hazard and 4 meaning high l	hazard
bw = body weight bw/day = body weight EC x = Effect Concer GLP = Good Laborat IARC = International LC50 = 50% Lethal c half) of a group of tes LD50 = 50% Lethal D LL = Lethal Loading NIOSH = National Ins NOAEL = No Observe NOEC = No Observe NOEC = No Observe OECD = Organization OSHA = Occupationa UVCB = Substance of Legend Section 8 ACGIH - American O	nyms Conference of Governmenta t/day htration associated with x% ory Practice Agency for Research of Ca oncentration - Concentratio to animals Dose - Chemical amount, giv stitute of Occupational Safe ed Adverse Effect Level d Effect Concentration d Effect Level n for Economic Co-operatio al Safety and Health Admini	Ites updated section I Industrial Hygienists response ncer n of a chemical in air or a ven at once, which cause ty and Health n and Development stration position, Complex reactio	chemical in water which cat s the death of 50% (one half) of a group of test animals
TLV - Threshold Limi PEL - Permissible Ex IDHL - Immediately D TWA - Time Weight A STEL - Short Term E S* - Skin notation TSCA - Toxic Substa	posure Limits Dangerous to Life or Health Average xposure Limits	concentrations		

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

End of the Safety Data Sheet