

SAFETY DATA SHEET

According to the Hazard Communication Standard, 29 CFR 1910.1200

DACNIS SB 100

Date of the previous version: not applicable **Revision Date: 2015-07-06** Version 1

1. IDENTIFICATION

Product identifier

SDS #: 084398

Product name DACNIS SB 100

Other means of identification

084398 Product Code(s)

7LB Number Substance/mixture Mixture

Recommended use of the chemical and restrictions on use

Identified uses synthetic. Compressor oil.

Do not use for any purpose other than the one for which it is intended Uses advised against

Details of the supplier of the safety data sheet

Supplier Address TOTAL Specialties USA Inc

1201 Louisiana Street, Suite 1800

Houston, TX 77002 Phone: +1 800 323 3198

Technical/ HSEQ **Contact Point**

E-mail Address USRMLIN-info@total.com

Emergency telephone number

Company Phone Number +1 (908) 862-9300

Emergency telephone CHEMTREC: +1 800 424 9300 (24h)

2. HAZARDS IDENTIFICATION

Classification

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Label elements

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)



Date of the previous version: not applicable Revision Date: 2015-07-06 Version 1

Unknown Acute Toxicity

No information available

Hazards not otherwise classified (HNOC)

None known

Other information

- · Contaminated surfaces will be extremely slippery
- · Should not be released into the environment

3. COMPOSITION/INFORMATION ON INGREDIENTS

This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Chemical Name	CAS-No	Weight %
1,2-Benzenedicarboxylic acid, di-C9-11-branched	68515-49-1	1-10
alkyl esters, C10-rich		

4. FIRST AID MEASURES

First aid measures for different exposure routes

General advice IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR

EMERGENCY MEDICAL CARE.

Eye contact Rinse immediately with plenty of water and seek medical advice.

Skin contact Remove contaminated clothing and shoes. Wash off with soap and water. Wash

contaminated clothing before reuse.

Inhalation Move to fresh air. Inhalation of high concentrations of vapor or aerosols may cause irritation

of the upper respiratory tract.

Ingestion Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a

physician or Poison Control Center immediately. If swallowed, do not induce vomiting -

seek medical advice.

Most important symptoms/effects, acute and delayed

Skin contact Not classified. May cause slight irritation.

Eye contact Not classified.

Inhalation Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory

system.



Date of the previous version: not applicable Revision Date: 2015-07-06 Version 1

Ingestion Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and

diarrhea.

Symptoms Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Carbon dioxide (CO₂). ABC powder. Foam. Water spray or fog.

Unsuitable Extinguishing Media Do not use a solid water stream as it may scatter and spread fire.

<u>Special Hazard</u> Incomplete combustion and thermolysis may produce gases of varying toxicity such as

carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may

be highly dangerous if inhaled in confined spaces or at high concentration.

Explosion Data

Sensitivity to Mechanical Impact Sensitivity to Static Discharge None.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Evacuate non-essential personnel.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

General Information Do not touch or walk through spilled material. Contaminated surfaces will be extremely

slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all

sources of ignition.

Other information See Section 12 for additional information.

Environmental precautions

General InformationDo not allow material to contaminate ground water system. Try to prevent the material from

entering drains or water courses. Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Methods for cleaning up Dam up. Keep in suitable, closed containers for disposal. Soak up with inert absorbent

material. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according

to local / national regulations (see section 13).

7. HANDLING AND STORAGE



Date of the previous version: not applicable Revision Date: 2015-07-06 Version 1

Precautions for safe handling

Advice on safe handling When using, do not eat, drink or smoke. For personal protection see section 8. Use only in

well-ventilated areas. Do not breathe vapors or spray mist. Avoid contact with skin, eyes

and clothing.

Prevention of fire and explosion Take precautionary measures against static discharges. Ground/bond containers, tanks

and transfer/receiving equipment.

Hygiene measures Ensure the application of strict rules of hygiene by the personnel exposed to the risk of

contact with the product. Wash hands before breaks and immediately after handling the product. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets. When using, do not eat, drink or smoke. Use personal protective equipment as required. Wash hands before breaks and at the end of workday. Avoid breathing vapors, mist or gas. Avoid prolonged and repeated contact with the skin, especially with used or waste product.

Conditions for safe storage, including any incompatibilities

Technical measures/Storage conditions

Keep away from food, drink and animal feedingstuffs. Keep in a bunded area. Keep container tightly closed. Keep preferably in the original container. Otherwise reproduce all indication of the regulation label on the new container. Do not remove the hazard labels of the containers (even if they are empty). Design the installations in order to avoid accidental emissions of product (due to seal breakage, for example) onto hot casings or electrical contacts. Protect from frost, heat and sunlight. Protect from moisture. Keep in a bunded

area. Store in original container. Keep in properly labeled containers.

Materials to Avoid Oxidizing agents. Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure limits Mineral oil mist:

USA: OSHA (PEL) TWA 5 mg/m³, NIOSH (REL) TWA 5 mg/m³, STEL 10 mg/m³, ACGIH

(TLV) TWA 5 mg/m³ (highly refined).

Exposure controls

Engineering Measures Apply technical measures to comply with the occupational exposure limits. When working in

confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for

breathing and wear the recommended equipment.

Individual protection measures, such as personal protective equipment

General Information If the product is used in mixtures, it is recommended that you contact the appropriate

protective equipment suppliers. These recommendations apply to the product as supplied.



Date of the previous version: not applicable Revision Date: 2015-07-06 Version 1

Eye/Face Protection If splashes are likely to occur, wear:. Safety glasses with side-shields.

Skin and body protection Wear suitable protective clothing. Protective shoes or boots.

Hand Protection Protective gloves. Impervious gloves. Please observe the instructions regarding

permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such

as the danger of cuts, abrasion, and the contact time.

Respiratory protectionNone required under normal usage. If exposure limits are exceeded or irritation is

experienced, NIOSH/MSHA approved respiratory protection should be worn.

Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local

regulations.

Hygiene measures Ensure the application of strict rules of hygiene by the personnel exposed to the risk of

contact with the product. Wash hands before breaks and immediately after handling the product. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets. When using, do not eat, drink or smoke. Use personal protective equipment as required. Wash hands before breaks and at the end of workday. Avoid breathing vapors, mist or gas. Avoid prolonged and repeated contact with the skin, especially with used or waste product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and chemical properties

Appearance limpid
Color clear
Physical State @20°C liquid

Odor Mild Petroleum distillates

Odor Threshold

Property Values Remarks Method

pH Not applicable

Melting point/range No information available

Melting point/rangeNo information availableBoiling point/boiling rangeNot applicable

Flash point > 224 °C Cleveland Open Cup (COC) > 435 °F Cleveland Open Cup (COC).

Evaporation rate

No information available
Flammability Limits in Air

No information available

Flammability Limits in Air
upper - No information available
Lower - No information available
Vapor Pressure No information available
Vapor density No information available



Date of the previous version: not applicable **Revision Date: 2015-07-06** Version 1

Relative density 0.876 @ 15 °C **ASTM D 1298** @ 15 °C **ASTM D 1298** Density 876 kg/m3 Insoluble

Water solubility

Solubility in other solvents logPow

Autoignition temperature

Decomposition temperature

Viscosity, kinematic 99.2 mm2/s **Explosive properties** Not explosive

Oxidizing Properties Not applicable Possibility of hazardous reactions Not applicable

Other information

Freezing Point

-32 °C Pour point

No information available

No information available

No information available

No information available

Not applicable

@ 40 °C

Cleveland Open Cup (COC)

ASTM D 445

10. STABILITY AND REACTIVITY

Reactivity No information available.

Stable under recommended storage conditions. **Chemical stability**

Possibility of hazardous reactions None under normal processing.

Conditions to Avoid Heat (temperatures above flash point), sparks, ignition points, flames, static electricity.

Heat, flames and sparks. Take precautionary measures against static discharges. Strong

oxidizing agents.

Incompatible Materials Oxidizing agents. Strong oxidizing agents.

Hazardous Decomposition Products Incomplete combustion and thermolysis may produce gases of varying toxicity such as

carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Information on likely routes of exposure

Product Information

Not classified. May cause slight irritation. Skin contact

Eye contact Not classified.

Inhalation Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory

system.

Ingestion Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and

diarrhea.



Date of the previous version: not applicable Revision Date: 2015-07-06 Version 1

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity No information available

ATEmix (oral) 15954 mg/kg ATEmix (inhalation-dust/mist) 2385 mg/l

Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
1,2-Benzenedicarboxylic acid, di-C9-11-branched alkyl esters, C10-rich 68515-49-1	LD50 > 60000 mg/kg (Rat)	LD50 > 3160 mg/kg (Rabbit)	

Information on toxicological effects

Symptoms Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Not classified as a sensitizer.

Carcinogenicity This product is not classified carcinogenic.

Mutagenicity This product is not classified as mutagenic.

Reproductive toxicityThis product does not present any known or suspected reproductive hazards.

Aspiration Hazard No known effect based on information supplied.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Acute aquatic toxicity - Product Information

No experimental data available

Acute aquatic toxicity - Component Information

No information available

Chronic aquatic toxicity - Product Information

No experimental data available

Chronic aquatic toxicity - Component Information

No information available



Date of the previous version: not applicable Revision Date: 2015-07-06 Version 1

Effects on terrestrial organisms No experimental data available .

Persistence and degradability

General Information No information available.

Bioaccumulative potential

Product Information No information available.

logPow No information available

Component Information

Component information .		
Chemical Name	log Pow	
1,2-Benzenedicarboxylic acid, di-C9-11-branched alkyl esters, C10-rich	8.8	
68515-49-1		

Mobility

Soil Given its physical and chemical characteristics, the product generally shows low soil

mobility

Air Loss by evaporation is limited

Water The product is insoluble and floats on water

Other adverse effects

General Information No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment

Waste Disposal Methods Dispose of in accordance with local regulations.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. TRANSPORT INFORMATION

DOTNot regulatedTDGNot regulatedMEXNot regulatedICAO/IATANot regulated



Date of the previous version: not applicable Revision Date: 2015-07-06 Version 1

IMDG/IMO Not regulated

ADR/RID Not regulated

ADN Not regulated

15. REGULATORY INFORMATION

International Inventories
All the substances contained in this product are listed or exempted from listing in the

following inventories:

U.S.A. (TSCA) Canada (DSL/NDSL)

Europe (EINECS/ELINCS/NLP)

China (IECSC) Korea (KECL) Philippines (PICCS) Australia (AICS)

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard no
Chronic Health Hazard no
Fire Hazard no
Sudden Release of Pressure Hazard no
Reactive Hazard no

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990.

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:



SDS #: 084398

DACNIS SB 100

Date of the previous version:not applicableRevision Date: 2015-07-06Version 1

Chemical Name	California Prop. 65
1,2-Benzenedicarboxylic acid, di-C9-11-branched alkyl esters, C10-rich -	Developmental
68515-49-1	

U.S. State Right-to-Know Regulations

No information available

16. OTHER INFORMATION

NFPA Health Hazard 1 Flammability 1 Instability 0 Physical and chemical

hazards -

Health Hazard 1 Flammability 1 Physical Hazard 0 Personal protection X

NFPA (National Fire Protection Association) HMIS (Hazardous Material Information System)

Hazards are split into categories each with a 0 to 4 rating, 0 meaning no hazard and 4 meaning high hazard

Revision Date: 2015-07-06

Revision Note No information available

Abbreviations, acronyms

Legend Section 8

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration NIOSH - National Institute for Occupational Safety and Health

TLV - Threshold Limit Values
PEL - Permissible Exposure Limits

IDHL - Immediately Dangerous to Life or Health concentrations

TWA - Time Weight Average STEL - Short Term Exposure Limits

S* - Skin notation

TSCA - Toxic Substance Control Act

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

End of the safety data sheet