

# SAFETY DATA SHEET

According to the Hazard Communication Standard, 29 CFR 1910.1200

Date of the previous version: 2015-04-23 Revision Date: 2015-10-13 Version 1.01

**SYNOLAN 1000 ISO 100** 

1. IDENTIFICATION

**Product identifier** 

**SDS #**: 083998

Product name SYNOLAN 1000 ISO 100

Other means of identification

Product Code(s) 083998

Number 7TN Substance/mixture Mixture

Recommended use of the chemical and restrictions on use

Identified uses Lubricant.

**Uses advised against**Do not use for any purpose other than the one for which it is intended

Details of the supplier of the safety data sheet

Supplier Address TOTAL Specialties USA Inc

1201 Louisiana Street, Suite 1800

Houston, TX 77002 Phone: +1 800 323 3198

Contact Point Technical/ HSEQ

E-mail Address USRMLIN-info@total.com

Emergency telephone number

**Company Phone Number** +1 (908) 862-9300

Emergency telephone CHEMTREC: +1 800 424 9300 (24h)

# 2. HAZARDS IDENTIFICATION

### Classification

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

### Label elements

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)



Date of the previous version: 2015-04-23 Revision Date: 2015-10-13 Version 1.01

\_\_\_\_\_

**Unknown Acute Toxicity** No information available

Hazards not otherwise classified (HNOC)

None known

Other information

Physical-Chemical Properties Contaminated surfaces will be extremely slippery.

**Environmental properties** Should not be released into the environment.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

The product contains no substances which at their given concentration, are considered to be hazardous to health.

# 4. FIRST AID MEASURES

#### First aid measures for different exposure routes

General advice IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR

EMERGENCY MEDICAL CARE.

Eye contact In the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

**Skin contact** Remove contaminated clothing and shoes. Wash off with soap and water. In the case of

skin irritation or allergic reactions see a physician. Wash contaminated clothing before

reuse.

Inhalation If symptoms persist, call a physician. Move to fresh air. Inhalation of high concentrations of

vapor or aerosols may cause irritation of the upper respiratory tract. If breathing is difficult,

give oxygen.

**Ingestion** Never give anything by mouth to an unconscious person. Call a physician or Poison Control

Center immediately. If swallowed, do not induce vomiting - seek medical advice. Drink 1 or

2 glasses of water.

#### Most important symptoms/effects, acute and delayed

**Skin contact** Not classified. Avoid contact with skin. May cause slight irritation.

Eye contact Not classified. Avoid contact with eyes. May cause slight irritation.



Date of the previous version: 2015-04-23 Revision Date: 2015-10-13 Version 1.01

**Inhalation** Not classified. Avoid breathing vapors or mists. Inhalation of vapors in high concentration

may cause irritation of respiratory system.

Ingestion Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and

diarrhea.

Symptoms Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Carbon dioxide (CO<sub>2</sub>). ABC powder. Foam. Water spray or fog.

Unsuitable Extinguishing Media Do not use a solid water stream as it may scatter and spread fire.

<u>Special Hazard</u> Incomplete combustion and thermolysis may produce gases of varying toxicity such as

carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may

be highly dangerous if inhaled in confined spaces or at high concentration.

**Explosion Data** 

Sensitivity to Mechanical Impact

Sensitivity to Static Discharge

None. None.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Evacuate non-essential personnel.

# 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

General Information Do not touch or walk through spilled material. Contaminated surfaces will be extremely

slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all

sources of ignition.

**Other information** See Section 12 for additional information.

**Environmental precautions** 

**General Information**Do not allow material to contaminate ground water system. Try to prevent the material from

entering drains or water courses. Local authorities should be advised if significant spillages

cannot be contained. See Section 12 for additional Ecological Information.

Methods and materials for containment and cleaning up



**SDS #**: 083998

# **SYNOLAN 1000 ISO 100**

Date of the previous version: 2015-04-23 Revision Date: 2015-10-13 Version 1.01

Methods for cleaning up

Dam up. Keep in suitable, closed containers for disposal. Soak up with inert absorbent material. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Use mechanical means such as pumps, skimmers and absorbent materials.

## 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling When using, do not eat, drink or smoke. For personal protection see section 8. Use only in

well-ventilated areas. Do not breathe vapors or spray mist. Avoid contact with skin, eyes

and clothing.

Prevention of fire and explosion Take precautionary measures against static discharges: Ground/bond containers, tanks

and transfer/receiving equipment.

Hygiene measures Wash hands before breaks and immediately after handling the product. Do not eat, drink or

smoke when using this product. Ensure the application of strict rules of hygiene by the personnel exposed to the risk of contact with the product. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and at the end of workday. Avoid breathing vapors, mist or gas. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product

contaminated rags into workwear pockets.

#### Conditions for safe storage, including any incompatibilities

Technical measures/Storage conditions

Keep away from food, drink and animal feedingstuffs. Keep in a bunded area. Keep container tightly closed. Keep preferably in the original container. Otherwise reproduce all indication of the regulation label on the new container. Do not remove the hazard labels of the containers (even if they are empty). Design the installations in order to avoid accidental emissions of product (due to seal breakage, for example) onto hot casings or electrical

contacts. Protect from frost, heat and sunlight. Protect from moisture.

Materials to Avoid Strong oxidizing agents.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

Exposure limits Mineral oil mist:

USA: OSHA (PEL) TWA 5 mg/m³, NIOSH (REL) TWA 5 mg/m³, STEL 10 mg/m³, ACGIH

(TLV) TWA 5 mg/m³ (highly refined).

#### **Exposure controls**



Date of the previous version: 2015-04-23 Revision Date: 2015-10-13 Version 1.01

\_\_\_\_\_

**Engineering Measures**Ensure adequate ventilation, especially in confined areas. Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks,

containers, etc.), ensure that there is a supply of air suitable for breathing and wear the

recommended equipment.

Individual protection measures, such as personal protective equipment

**General Information** If the product is used in mixtures, it is recommended that you contact the appropriate

protective equipment suppliers. These recommendations apply to the product as supplied.

**Eye/Face Protection** If splashes are likely to occur, wear:. Safety glasses with side-shields.

**Skin and body protection** Wear suitable protective clothing. Protective shoes or boots. Long sleeved clothing.

Hand Protection Protective gloves. Impervious gloves. Please observe the instructions regarding

permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such

as the danger of cuts, abrasion, and the contact time.

**Respiratory protection**None required under normal usage. If exposure limits are exceeded or irritation is

experienced, NIOSH/MSHA approved respiratory protection should be worn.

Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local

regulations.

Hygiene measures Wash hands before breaks and immediately after handling the product. Do not eat, drink or

smoke when using this product. Ensure the application of strict rules of hygiene by the personnel exposed to the risk of contact with the product. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and at the end of workday. Avoid breathing vapors, mist or gas. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product

contaminated rags into workwear pockets.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

# Physical and chemical properties

Color clear Physical State @20°C liquid

Odor Mild Petroleum distillates
Odor Threshold No information available

Property Values Remarks Method

pH Not applicable

Melting point/range No information available

Boiling point/boiling range > 315 °C



Date of the previous version: 2015-04-23 **Revision Date: 2015-10-13** Version 1.01

> 599 °F Flash point 260 °C

ASTM D 92 Cleveland Open Cup (COC)

500 °F

ASTM D 92. Cleveland Open

Cup (COC).

**Evaporation rate** 

Flammability Limits in Air

No information available No information available

upper Lower No information available No information available No information available

**Vapor Pressure** Vapor density

No information available

Relative density < 0.9 Density  $< 900 \text{ kg/m}^3$  @ 15 °C @ 15 °C

**ASTM D 1298 ASTM D 1298** 

Water solubility

Solubility in other solvents

Not applicable No information available

logPow

No information available No information available

**Autoignition temperature** 

No information available

**Decomposition temperature** Viscosity, kinematic

@ 40 °C

ASTM D 445

**Explosive properties Oxidizing Properties** 

106 mm2/s Not explosive Not applicable

Not applicable

Possibility of hazardous reactions Other information

@ 15 °C

**ASTM D 1298** 

**Specific Gravity Freezing Point** 

< 0.9

No information available

-43 °C Pour point

ASTM D 97

## 10. STABILITY AND REACTIVITY

Reactivity No information available.

**Chemical stability** Stable under recommended storage conditions.

Possibility of hazardous reactions None under normal processing.

Heat, flames and sparks. Take precautionary measures against static discharges. Heat **Conditions to Avoid** 

(temperatures above flash point), sparks, ignition points, flames, static electricity. Strong

oxidizing agents.

**Incompatible Materials** Strong oxidizing agents.

Hazardous Decomposition Products Incomplete combustion and thermolysis may produce gases of varying toxicity such as

carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot.

## 11. TOXICOLOGICAL INFORMATION

# **Acute toxicity**



Date of the previous version: 2015-04-23 Revision Date: 2015-10-13 Version 1.01

\_\_\_\_\_

**Product Information** Product does not present an acute toxicity hazard based on known or supplied information.

Information on likely routes of exposure

Principle Routes of Exposure Inhalation, Ingestion, Eye contact, Skin contact.

ATEmix (oral) 9100 mg/kg
ATEmix (dermal) 10337 mg/kg
ATEmix (inhalation-dust/mist) 26591 mg/l
ATEmix (inhalation-vapor) 26591 mg/l

**Component Information** 

Information on toxicological effects

Symptoms Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

**Skin contact** Not classified. Avoid contact with skin. May cause slight irritation.

Eye contact Not classified. Avoid contact with eyes. May cause slight irritation.

**Inhalation** Not classified. Avoid breathing vapors or mists. Inhalation of vapors in high concentration

may cause irritation of respiratory system.

**Ingestion** Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and

diarrhea.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization**No sensitization responses were observed. **Carcinogenicity**Contains no ingredient listed as a carcinogen.

**Mutagenicity** Contains no ingredient listed as a mutagen.

**Reproductive toxicity**This product does not present any known or suspected reproductive hazards.

STOT-single exposure

None under normal use conditions.

STOT - repeated exposure

None under normal use conditions.

Aspiration Hazard Not applicable.

# 12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

Acute aquatic toxicity - Product Information

No experimental data available

Acute aquatic toxicity - Component Information



Date of the previous version: 2015-04-23 Revision Date: 2015-10-13 Version 1.01

\_\_\_\_

No information available

Chronic aquatic toxicity - Product Information

No experimental data available

**Chronic aquatic toxicity - Component Information** 

No information available

Effects on terrestrial organisms No experimental data available .

Persistence and degradability

**General Information** No information available.

Bioaccumulative potential

**Product Information** No information available.

logPow No information available

**Component Information** No information available.

**Mobility** 

**Soil** No information available

Water The product is insoluble and floats on water

Other adverse effects

General Information No information available

# 13. DISPOSAL CONSIDERATIONS

**Waste treatment** 

Waste Disposal Methods Dispose of in accordance with local regulations.

Contaminated packaging Do not re-use empty containers. Dispose of in accordance with local regulations.

California Hazardous Waste Codes 221



Date of the previous version:2015-04-23Revision Date:2015-10-13Version 1.01

\_\_\_\_\_

# 14. TRANSPORT INFORMATION

**DOT** Not regulated

TDG Not regulated

MEX Not regulated

ICAO/IATA Not regulated

IMDG/IMO Not regulated

ADR/RID Not regulated

ADN Not regulated

## 15. REGULATORY INFORMATION

following inventories:

U.S.A. (TSCA)

Europe (EINECS/ELINCS/NLP)

Canada (DSL/NDSL) Korea (KECL) Philippines (PICCS) Australia (AICS) China (IECSC)

## **U.S. Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

#### SARA 311/312 Hazard Categories

Acute Health Hazard no
Chronic Health Hazard no
Fire Hazard no
Sudden Release of Pressure Hazard no
Reactive Hazard no

#### **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).



Date of the previous version: 2015-04-23 Revision Date: 2015-10-13 Version 1.01

#### Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990.

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

## **U.S. State Regulations**

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

No information available

## **EPA Pesticide Registration Number** Not Applicable

## **16. OTHER INFORMATION**

NFPA Health Hazard 1 Flammability 1 Instability 0 Physical and chemical

hazards -

HMIS Health Hazard 1 Flammability 1 Physical Hazard 0 Personal protection b

NFPA (National Fire Protection Association)

HMIS (Hazardous Material Information System)

Hazards are split into categories each with a 0 to 4 rating, 0 meaning no hazard and 4 meaning high hazard

**Revision Date:** 2015-10-13

Revision Note \*\*\* Indicates updated section

Abbreviations, acronyms

Legend Section 8

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration NIOSH - National Institute for Occupational Safety and Health

TLV - Threshold Limit Values
PEL - Permissible Exposure Limits

IDHL - Immediately Dangerous to Life or Health concentrations

TWA - Time Weight Average STEL - Short Term Exposure Limits

S\* - Skin notation

TSCA - Toxic Substance Control Act



Date of the previous version: 2015-04-23 Revision Date: 2015-10-13 Version 1.01

\_\_\_\_\_

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

End of the safety data sheet