



MATERIAL SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY INFORMATION

Product Name: ULSD #2 15 MOTOR VEHICLE

Manufacturer Information:

Sunoco, Inc. (R&M)
1735 Market Street LL
Philadelphia, Pennsylvania, 19103-7583

Product Use:

Diesel fuel

Emergency Phone Numbers:

Chemtrec (800) 424-9300
Sunoco Inc. (800) 964-8861

Information:

Product Safety Information (888) 567-3066

2. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No.	Amount (Vol%)
#2 DIESEL HIGHWAY	68476-34-6	100 - 100
NAPHTHALENE	91-20-3	0 - 2
XYLENE	1330-20-7	0 - 0.8
TOLUENE	108-88-3	0 - 0.4
BENZENE	71-43-2	0 - 0.2
ETHYL BENZENE	100-41-4	0 - 0.2
CUMENE	98-82-8	0 - 0.1
N-HEXANE	110-54-3	0 - 0.04

EXPOSURE GUIDELINES (SEE SECTION 15 FOR ADDITIONAL EXPOSURE LIMITS)

	CAS No.	Governing Body	Exposure Limits
Limit for the product	68476-34-6	ACGIH	TWA 100 mg/m3
BENZENE	71-43-2	ACGIH	STEL 2.5 ppm
BENZENE	71-43-2	OSHA	STEL 5 ppm
BENZENE	71-43-2	ACGIH	TWA 0.5 ppm
BENZENE	71-43-2	OSHA	TWA 1 ppm
CUMENE	98-82-8	ACGIH	TWA 50 ppm
CUMENE	98-82-8	OSHA	TWA 50 ppm
ETHYL BENZENE	100-41-4	ACGIH	STEL 125 ppm
ETHYL BENZENE	100-41-4	ACGIH	TWA 100 ppm
ETHYL BENZENE	100-41-4	OSHA	TWA 100 ppm
N-HEXANE	110-54-3	ACGIH	TWA 50 ppm
N-HEXANE	110-54-3	OSHA	TWA 500 ppm

NAPHTHALENE	91-20-3	ACGIH	STEL	15	ppm
NAPHTHALENE	91-20-3	ACGIH	TWA	10	ppm
NAPHTHALENE	91-20-3	OSHA	TWA	10	ppm
TOLUENE	108-88-3	NIOSH	STEL	150	ppm
TOLUENE	108-88-3	ACGIH	TWA	20	ppm
TOLUENE	108-88-3	OSHA	TWA	200	ppm
XYLENE	1330-20-7	ACGIH	STEL	150	ppm
XYLENE	1330-20-7	ACGIH	TWA	100	ppm
XYLENE	1330-20-7	OSHA	TWA	100	ppm
#2 DIESEL HIGHWAY	68476-34-6	ACGIH	TWA	100	mg/m3

3. HAZARDS IDENTIFICATION

- EMERGENCY OVERVIEW**

Warning! Combustible liquid and vapor. Harmful if inhaled. May cause headaches and dizziness. Harmful if absorbed through skin. Harmful or fatal if swallowed. Pulmonary aspiration hazard. While ingesting or vomiting, may enter lungs and produce damage. Causes skin irritation. Can cause severe chronic toxicity. Possible cancer hazard.

Hazards Ratings:

Key: 0 = least, 1 = slight, 2 = moderate, 3 = high, 4 = extreme

	<u>Health</u>	<u>Fire</u>	<u>Reactivity</u>	<u>PPI</u>
NFPA	1	2	0	
HMIS	2	2	0	x

- POTENTIAL HEALTH EFFECTS**

- PRE-EXISTING MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE**

The following diseases or disorders may be aggravated by exposure to this product: skin, eye, nervous system, respiratory system, lung (asthma-like conditions),

- INHALATION**

Vapors and/or aerosols which may be formed at elevated temperatures may be irritating to eyes and respiratory tract. May cause headaches and dizziness. Repeated excessive exposures may cause blood disorders such as anemia and leukemia. High concentrations may lead to central nervous system effects (drowsiness, dizziness, nausea, headaches, paralysis and loss of consciousness and even death).

LC50 (mg/l): No data

LC50 (mg/m3): No data

LC50 (ppm): No data

- SKIN**

May be absorbed through the skin in harmful amounts. Contains a material that has caused skin tumors in laboratory animals. Causes severe skin irritation. Prolonged or repeated contact can result in defatting and drying of the skin which may result in skin irritation and dermatitis (rash).

Draize Skin Score: 6.9 out of 8.0

LD50 (mg/kg): No data

- EYES**

Mildly irritating to the eyes.

- INGESTION**

Harmful or fatal if swallowed. Pulmonary aspiration hazard. While ingesting or vomiting, may enter lungs and produce damage.

LD50 (g/kg): No data

4. FIRST AID MEASURES

- **INHALATION**

Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen and continue to monitor. Get immediate medical attention.

- **SKIN**

Wash with soap and water for 20 minutes. Get medical attention if irritation develops or persists. Wash clothing before reuse. Destroy contaminated shoes and other leather products.

- **EYES**

Flush eye with water for 20 minutes. Get medical attention.

- **INGESTION**

If swallowed, do NOT induce vomiting. Give victim a glass of water or milk. Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person. Get medical attention immediately.

5. FIRE FIGHTING MEASURES

- **EXTINGUISHING MEDIA**

Water spray; Regular foam; Dry chemical; Carbon dioxide;

- **FIRE FIGHTING INSTRUCTIONS**

Use water spray to cool fire exposed tanks and containers. Water or foam may cause frothing. Wear structural fire fighting gear. As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

FLAMMABLE PROPERTIES

	Typical	Minimum	Maximum	Text Result	Units	Method
Flash Point				> 125	F	PMCC
Autoignition Temperature	500				F	N/A
Lower Explosion Limit				No data	%	N/A
Upper Explosion Limit				No data	%	N/A

6. ACCIDENTAL RELEASE MEASURES

Prevent ignition, stop leak and ventilate the area. Contain spilled liquid with sand or earth. DO NOT use combustible materials such as sawdust. Use appropriate personal protective equipment as stated in Section 8 of this MSDS.

Advise the Environmental Protection Agency (EPA) and appropriate state agencies, if required. Absorb spill with inert material (e.g., dry sand or earth), then place in a chemical waste container. Vacuum or sweep up material and place in a disposal container.

7. HANDLING AND STORAGE

- **HANDLING**

Use only in a well-ventilated area. Ground and bond containers when transferring material. Avoid breathing (dust, vapor, mist, gas). Avoid prolonged or repeated contact with skin. Wash thoroughly after handling.

- **STORAGE**

Keep away from heat, sparks, and flame. Keep container closed when not in use. NFPA class II storage. Flash point is greater than 100 degrees F and less than 140 degrees F.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Consult With a Health and Safety Professional for Specific Selections

- **ENGINEERING CONTROLS**

Use with adequate ventilation. Local exhaust ventilation may be necessary to control any air contaminants to within their TLVs during the use of this product.

- **PERSONAL PROTECTION**

- **EYE PROTECTION**

Splash proof chemical goggles are recommended to protect against the splash of product.

- **GLOVES or HAND PROTECTION**

Protective gloves are recommended when prolonged skin contact cannot be avoided. The glove(s) listed below may provide protection against permeation. Gloves of other chemically resistant materials may not provide adequate protection. Polyvinyl chloride (PVC); Neoprene; Nitrile; Polyvinyl alcohol; Viton;

- **RESPIRATORY PROTECTION**

Concentration in air determines the level of respiratory protection needed. Use only NIOSH certified respiratory equipment. Respiratory protection is not usually needed unless product is heated or misted.. Half-mask air purifying respirator with organic vapor cartridges is acceptable for exposures to ten (10) times the exposure limit. Full-face air purifying respirator with organic vapor cartridges is acceptable for exposures to fifty (50) times the exposure limit. Exposure should not exceed the cartridge limit of 1000 ppm. Protection by air purifying respirators is limited. Use a positive pressure-demand full-face supplied air respirator or SCBA for exposures greater than fifty (50) times the exposure limit. If exposure is above the IDLH (Immediately Dangerous to Life and Health) or there is the possibility of an uncontrolled release, or exposure levels are unknown, then use a positive pressure-demand full-face supplied air respirator with escape bottle or SCBA. Wear a NIOSH-approved (or equivalent) full-facepiece airline respirator in the positive pressure mode with emergency escape provisions.

- **OTHER**

Where splashing is possible, full chemically resistant protective clothing and boots are required. The following materials are acceptable for use as protective clothing: Polyvinyl alcohol (PVA); Polyvinyl chloride (PVC); Neoprene; Nitrile; Viton; Polyurethane; Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Remove contaminated clothing and wash before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical Property	Typical	Units	Text Result	Reference
Appearance		other	Lt Amber Liquid	
Boiling Point		F		
Bulk Density		lb/gal	No data	
Melting Point		F	No data	
Molecular Weight		g/mole	No data	
Octanol/Water Coefficient		other	No data	
pH		other	No data	
Specific Gravity	0.87	other		
Solubility In Water		wt %	Nil	
Odor		other	Kerosene-like	
Odor Threshold		other	No data	
Vapor Pressure	1.6	mmHg		
Viscosity (F)		other	No data	
Viscosity (C)	1.9	CsT		
% Volatile		wt %	No data	

10. STABILITY AND REACTIVITY

- **STABILITY**

Stable

- **CONDITIONS TO AVOID**

Avoid heat, sparks and open flame.

- **INCOMPATIBILITY**

Cutting oil Strong oxidizers

- **HAZARDOUS DECOMPOSITION PRODUCTS**

Combustion may produce carbon monoxide, carbon dioxide and other asphyxiants.

- **HAZARDOUS POLYMERIZATION**
Will not polymerize.

1. ECOLOGICAL INFORMATION

No data available

12. DISPOSAL CONSIDERATIONS

Follow federal, state and local regulations. This material is a RCRA hazardous waste. Do not flush material to drain or storm sewer. Contract to authorized disposal service.

13. TRANSPORT INFORMATION

<u>Governing Body</u>	<u>Mode</u>	<u>Proper Shipping Name</u>
IATA	Air	Not Determined
DOT	Ground	Fuel Oil

<u>Governing Body</u>	<u>Mode</u>	<u>Hazard Class</u>	<u>UN/NA No.</u>	<u>Label</u>
IATA	Air	Not Determined		
DOT	Ground	Combustible Liquid	NA1993	

14. REGULATORY INFORMATION

<u>Regulatory List</u>	<u>Component</u>	<u>CAS No.</u>
ACGIH - Occupational Exposure Limits - TWAs	ULSD #2 15 MOTOR VEHICLE	68476-34-6
Inventory - Canada - Domestic Substances List	ULSD #2 15 MOTOR VEHICLE	68476-34-6
Inventory - China	ULSD #2 15 MOTOR VEHICLE	68476-34-6
Inventory - European EINECS Inventory	ULSD #2 15 MOTOR VEHICLE	68476-34-6
Inventory - Philippines Inventory (PICCS)	ULSD #2 15 MOTOR VEHICLE	68476-34-6
Inventory - TSCA - Sect. 8(b) Inventory	ULSD #2 15 MOTOR VEHICLE	68476-34-6
New Jersey - Env Hazardous Substances List	ULSD #2 15 MOTOR VEHICLE	68476-34-6
ACGIH - Occupational Exposure Limits - Carcinogens	#2 DIESEL HIGHWAY	68476-34-6
ACGIH - Occupational Exposure Limits - Carcinogens	BENZENE	71-43-2
ACGIH - Occupational Exposure Limits - Carcinogens	ETHYL BENZENE	100-41-4
ACGIH - Occupational Exposure Limits - Carcinogens	NAPHTHALENE	91-20-3
ACGIH - Occupational Exposure Limits - Carcinogens	TOLUENE	108-88-3
ACGIH - Occupational Exposure Limits - Carcinogens	XYLENE	1330-20-7
ACGIH - Occupational Exposure Limits - TWAs	#2 DIESEL HIGHWAY	68476-34-6
ACGIH - Occupational Exposure Limits - TWAs	BENZENE	71-43-2
ACGIH - Occupational Exposure Limits - TWAs	CUMENE	98-82-8
ACGIH - Occupational Exposure Limits - TWAs	ETHYL BENZENE	100-41-4
ACGIH - Occupational Exposure Limits - TWAs	N-HEXANE	110-54-3
ACGIH - Occupational Exposure Limits - TWAs	NAPHTHALENE	91-20-3
ACGIH - Occupational Exposure Limits - TWAs	TOLUENE	108-88-3
ACGIH - Occupational Exposure Limits - TWAs	XYLENE	1330-20-7
ACGIH - Short Term Exposure Limits	BENZENE	71-43-2
ACGIH - Short Term Exposure Limits	ETHYL BENZENE	100-41-4
ACGIH - Short Term Exposure Limits	NAPHTHALENE	91-20-3

R00000224600, ULSD #2 15 MOTOR VEHICLE
09/02/09

6

CERCLA/SARA - Section 313 - Emission Reporting
 CERCLA/SARA - Section 313 - Emission Reporting
 CERCLA/SARA - Section 313 - Emission Reporting
 CERCLA/SARA - Section 313 - Emission Reporting
 CERCLA/SARA - Section 313 - Emission Reporting
 CWA (Clean Water Act) - Hazardous Substances
 CWA (Clean Water Act) - Hazardous Substances
 CWA (Clean Water Act) - Hazardous Substances
 CWA (Clean Water Act) - Hazardous Substances
 CWA (Clean Water Act) - Hazardous Substances
 CWA (Clean Water Act) - Priority Pollutants
 CWA (Clean Water Act) - Priority Pollutants
 CWA (Clean Water Act) - Priority Pollutants
 CWA (Clean Water Act) - Priority Pollutants
 CWA (Clean Water Act) - Toxic Pollutants
 CWA (Clean Water Act) - Toxic Pollutants
 CWA (Clean Water Act) - Toxic Pollutants
 CWA (Clean Water Act) - Toxic Pollutants
 IARC - Group 1 (carcinogenic to humans)
 IARC - Group 2B (Possibly carcinogenic to humans)
 IARC - Group 2B (Possibly carcinogenic to humans)
 IARC - Group 3 (not classifiable)
 IARC - Group 3 (not classifiable)
 Inventory - Australia (AICS)
 Inventory - Australia (AICS)
 Inventory - Australia (AICS)
 Inventory - Australia (AICS)
 Inventory - Australia (AICS)
 Inventory - Australia (AICS)
 Inventory - Australia (AICS)
 Inventory - Australia (AICS)
 Inventory - Canada - Domestic Substances List
 Inventory - Canada - Domestic Substances List
 Inventory - Canada - Domestic Substances List
 Inventory - Canada - Domestic Substances List
 Inventory - Canada - Domestic Substances List
 Inventory - Canada - Domestic Substances List
 Inventory - Canada - Domestic Substances List
 Inventory - Canada - Domestic Substances List
 Inventory - China
 Inventory - China
 Inventory - China
 Inventory - China
 Inventory - China
 Inventory - China
 Inventory - China
 Inventory - China
 Inventory - China
 Inventory - China
 Inventory - European EINECS Inventory
 Inventory - European EINECS Inventory
 Inventory - European EINECS Inventory
 Inventory - European EINECS Inventory
 Inventory - European EINECS Inventory
 Inventory - European EINECS Inventory
 Inventory - European EINECS Inventory
 Inventory - European EINECS Inventory
 Inventory - Japan - (ENCS)
 Inventory - Japan - (ENCS)
 Inventory - Japan - (ENCS)
 Inventory - Japan - (ENCS)
 Inventory - Japan - (ENCS)
 Inventory - Japan - (ENCS)
 Inventory - Japan - (ENCS)

ETHYL BENZENE	100-41-4
N-HEXANE	110-54-3
NAPHTHALENE	91-20-3
TOLUENE	108-88-3
XYLENE	1330-20-7
BENZENE	71-43-2
ETHYL BENZENE	100-41-4
NAPHTHALENE	91-20-3
TOLUENE	108-88-3
XYLENE	1330-20-7
BENZENE	71-43-2
ETHYL BENZENE	100-41-4
NAPHTHALENE	91-20-3
TOLUENE	108-88-3
BENZENE	71-43-2
ETHYL BENZENE	100-41-4
NAPHTHALENE	91-20-3
TOLUENE	108-88-3
BENZENE	71-43-2
ETHYL BENZENE	100-41-4
NAPHTHALENE	91-20-3
TOLUENE	108-88-3
XYLENE	1330-20-7
#2 DIESEL HIGHWAY	68476-34-6
BENZENE	71-43-2
CUMENE	98-82-8
ETHYL BENZENE	100-41-4
N-HEXANE	110-54-3
NAPHTHALENE	91-20-3
TOLUENE	108-88-3
XYLENE	1330-20-7
#2 DIESEL HIGHWAY	68476-34-6
BENZENE	71-43-2
CUMENE	98-82-8
ETHYL BENZENE	100-41-4
N-HEXANE	110-54-3
NAPHTHALENE	91-20-3
TOLUENE	108-88-3
XYLENE	1330-20-7
#2 DIESEL HIGHWAY	68476-34-6
BENZENE	71-43-2
CUMENE	98-82-8
ETHYL BENZENE	100-41-4
N-HEXANE	110-54-3
NAPHTHALENE	91-20-3
TOLUENE	108-88-3
XYLENE	1330-20-7
#2 DIESEL HIGHWAY	68476-34-6
BENZENE	71-43-2
CUMENE	98-82-8
ETHYL BENZENE	100-41-4
N-HEXANE	110-54-3
NAPHTHALENE	91-20-3
TOLUENE	108-88-3
XYLENE	1330-20-7
BENZENE	71-43-2
CUMENE	98-82-8
ETHYL BENZENE	100-41-4
N-HEXANE	110-54-3
NAPHTHALENE	91-20-3
TOLUENE	108-88-3
XYLENE	1330-20-7

Inventory - Korea - Existing and Evaluated
 Inventory - Korea - Existing and Evaluated
 Inventory - Korea - Existing and Evaluated
 Inventory - Korea - Existing and Evaluated
 Inventory - Korea - Existing and Evaluated
 Inventory - Korea - Existing and Evaluated
 Inventory - Korea - Existing and Evaluated
 Inventory - Korea - Existing and Evaluated
 Inventory - Philippines Inventory (PICCS)
 Inventory - Philippines Inventory (PICCS)
 Inventory - Philippines Inventory (PICCS)
 Inventory - Philippines Inventory (PICCS)
 Inventory - Philippines Inventory (PICCS)
 Inventory - Philippines Inventory (PICCS)
 Inventory - Philippines Inventory (PICCS)
 Inventory - TSCA - Sect. 8(b) Inventory
 Inventory - TSCA - Sect. 8(b) Inventory
 Inventory - TSCA - Sect. 8(b) Inventory
 Inventory - TSCA - Sect. 8(b) Inventory
 Inventory - TSCA - Sect. 8(b) Inventory
 Inventory - TSCA - Sect. 8(b) Inventory
 Inventory - TSCA - Sect. 8(b) Inventory
 Massachusetts - Right To Know List
 Massachusetts - Right To Know List
 Massachusetts - Right To Know List
 Massachusetts - Right To Know List
 Massachusetts - Right To Know List
 Massachusetts - Right To Know List
 Massachusetts - Right To Know List
 New Jersey - Department of Health RTK List
 New Jersey - Department of Health RTK List
 New Jersey - Department of Health RTK List
 New Jersey - Department of Health RTK List
 New Jersey - Department of Health RTK List
 New Jersey - Department of Health RTK List
 New Jersey - Department of Health RTK List
 New Jersey - Env Hazardous Substances List
 New Jersey - Env Hazardous Substances List
 New Jersey - Env Hazardous Substances List
 New Jersey - Env Hazardous Substances List
 New Jersey - Env Hazardous Substances List
 New Jersey - Env Hazardous Substances List
 New Jersey - Env Hazardous Substances List
 New Jersey - Env Hazardous Substances List
 New Jersey - Special Hazardous Substances
 New Jersey - Special Hazardous Substances
 New Jersey - Special Hazardous Substances
 New Jersey - Special Hazardous Substances
 New Jersey - Special Hazardous Substances
 New Jersey - Special Hazardous Substances
 NTP - Report on Carcinogens - Known Carcinogens
 NTP - Report on Carcinogens - Suspect Carcinogens
 OSHA - Final PELs - Ceiling Limits
 OSHA - Final PELs - Ceiling Limits
 OSHA - Final PELs - Short Term Exposure Limits
 OSHA - Final PELs - Skin Notations
 OSHA - Final PELs - Time Weighted Averages
 OSHA - Final PELs - Time Weighted Averages
 OSHA - Final PELs - Time Weighted Averages
 OSHA - Final PELs - Time Weighted Averages

#2 DIESEL HIGHWAY	68476-34-6
BENZENE	71-43-2
CUMENE	98-82-8
ETHYL BENZENE	100-41-4
N-HEXANE	110-54-3
NAPHTHALENE	91-20-3
TOLUENE	108-88-3
XYLENE	1330-20-7
#2 DIESEL HIGHWAY	68476-34-6
BENZENE	71-43-2
CUMENE	98-82-8
ETHYL BENZENE	100-41-4
N-HEXANE	110-54-3
NAPHTHALENE	91-20-3
TOLUENE	108-88-3
XYLENE	1330-20-7
#2 DIESEL HIGHWAY	68476-34-6
BENZENE	71-43-2
CUMENE	98-82-8
ETHYL BENZENE	100-41-4
N-HEXANE	110-54-3
NAPHTHALENE	91-20-3
TOLUENE	108-88-3
XYLENE	1330-20-7
BENZENE	71-43-2
CUMENE	98-82-8
ETHYL BENZENE	100-41-4
N-HEXANE	110-54-3
NAPHTHALENE	91-20-3
TOLUENE	108-88-3
XYLENE	1330-20-7
#2 DIESEL HIGHWAY	68476-34-6
BENZENE	71-43-2
CUMENE	98-82-8
ETHYL BENZENE	100-41-4
N-HEXANE	110-54-3
NAPHTHALENE	91-20-3
TOLUENE	108-88-3
XYLENE	1330-20-7
BENZENE	71-43-2
CUMENE	98-82-8
ETHYL BENZENE	100-41-4
N-HEXANE	110-54-3
TOLUENE	108-88-3
XYLENE	1330-20-7
BENZENE	71-43-2
NAPHTHALENE	91-20-3
BENZENE	71-43-2
TOLUENE	108-88-3
BENZENE	71-43-2
CUMENE	98-82-8
BENZENE	71-43-2
CUMENE	98-82-8
ETHYL BENZENE	100-41-4
N-HEXANE	110-54-3

OSHA - Final PELs - Time Weighted Averages
 OSHA - Final PELs - Time Weighted Averages
 OSHA - Final PELs - Time Weighted Averages
 OSHA - Regulated Carcinogens
 OSHA - Select Carcinogens
 Pennsylvania - RTK (Right to Know) List
 Pennsylvania - RTK (Right to Know) List
 Pennsylvania - RTK (Right to Know) List
 Pennsylvania - RTK (Right to Know) List
 Pennsylvania - RTK (Right to Know) List
 Pennsylvania - RTK (Right to Know) List
 Pennsylvania - RTK (Right to Know) List
 Pennsylvania - RTK - Special Hazardous Substances
 TSCA - Sect. 12(b) - Export Notification
 TSCA - Sect. 12(b) - Export Notification
 TSCA - Section 4 - Chemical Test Rules

NAPHTHALENE	91-20-3
TOLUENE	108-88-3
XYLENE	1330-20-7
BENZENE	71-43-2
BENZENE	71-43-2
BENZENE	71-43-2
CUMENE	98-82-8
ETHYL BENZENE	100-41-4
N-HEXANE	110-54-3
NAPHTHALENE	91-20-3
TOLUENE	108-88-3
XYLENE	1330-20-7
BENZENE	71-43-2
N-HEXANE	110-54-3
NAPHTHALENE	91-20-3
NAPHTHALENE	91-20-3

Title III Classifications Sections 311,312:

- Acute: **YES**
- Chronic: **YES**
- Fire: **YES**
- Reactivity: **NO**
- Sudden Release of Pressure: **NO**

15. OTHER INFORMATION

Follow all MSDS/label precautions even after container is emptied because it may retain product residue. Following injection, prompt debridement of the wound is necessary to minimize necrosis and tissue loss. Empty containers retain product residue (liquid and/or vapor) and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind or expose such containers to heat, flame, sparks, static electricity, or other sources of ignition. They may explode and cause injury or death. Empty drums should be completely drained, properly bunged, and promptly returned to a drum reconditioner or properly disposed of. **COMPONENT TOXICITY:** Overexposure to naphthalene, a minor component of this product, may cause skin, eye and respiratory tract irritation, anemia, loss of vision, nervous system effects and kidney and thymus damage. Also, exposure to naphthalene has produced "respiratory tract" tumors in laboratory animals..

